

PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons

Hand protection



Specific benefits



· Extra thick and long for extra protection of the entire arm

Technologies & labels

Silicon-free

Applications

- Public works
- Building
- Maintenance
- Chemical industry
- Automotive
- Oil & Gas (extraction)





EN 388

4131B



EN ISO 374-1



TYPE B



EN ISO 374-5





Edit 30/04/2024 www.deltaplus.eu



PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Tight glove		
Glove family	Tight glove supported		
Tight glove kind	Supported		
Coating material and finition	PVC grip textured		
Coating level	Fully coated		
Number of layer	Single layer		
Thickness	1,30 mm		
Gauge	13		
Arm level protection	Forearm cuff (< 400mm)		
Benefits element	Reach, Silicone free, Long cuff (>290mm)		
Color	Blue		
Size	8, 9, 10		
Type of packaging	in individual bags		



enjoy s

Edit 30/04/2024 www.deltaplus.eu



PETRO VE780

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip on objects handled and resistance to oils and hydrocarbons

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
VE780BL08	Blue	08	PETRO VE780	3295249026011	13295249026018	120	12	22.8 kg	
VE780BL09	Blue	09	PETRO VE780	3295249026028	13295249026025	120	12	23.52 kg	
VE780BL10	Blue	10	PETRO VE780	3295249026035	13295249026032	120	12	25.68 kg	



enjoy so

04/05/2024 www.deltaplus.eu