



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Certifications and norms



EN 362
CLASS B

Protects against risks



Fall



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Standards - Details

Technical details

Type of equipment	Karabiner with 1/4 turn automatic lock
Composition of the main support	Steel
Length (m)	0,107
Gate opening (mm)	17
Opening (inch)	0.6681
Lock	Automatic system
Color	Steel
Lifespan from manufacturing (years)	20
Weight (kg)	0,200
Lenght (ft)	0.3511
Major axis strength (kN)	25



Fall protection

AM018

CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
-----------	--------	------	-------------	-------	----------	---	---	--------	---	---	---

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height