



Düşme önleme

AN06430B

HALAT ÜZERİ DÜŞME ÖNLEYİCİ

Kayar düşüş durdurma sistemi, 30 metrelik bir uzunluk boyunca kullanıcı için kurulumu ve takibi kolaylaştıran örgülü halat üzerine monte edilmiştir



Avantajlar



Kullanım kolaylığı

- Takip edilebilirlik sağlayan NFC sistemi

Uygulamalar

- Yapı
- İkinci iş / Zanaatkarlar
- Bakım

Sertifikalar ve standartlar

CE KATEGORİ III

EN353-2
120 KG

Karşı korur



Düşme



Düşme önleme

AN06430B

HALAT ÜZERİ DÜŞME ÖNLEYİCİ

Kayar düşüş durdurma sistemi, 30 metrelik bir uzunluk boyunca kullanıcı için kurulumu ve takibi kolaylaştıran örgülü halat üzerine monte edilmiştir

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Örgülü halat
Ana destek yapısı	Çelik, Paslanmaz çelik, Poliamid
Maksimum uzunluk (m)	30
Uzunluk (m)	30
Maksimum halat çapı (mm)	12
Maksimum halat çapı (inch)	0.4716
Renk	Beyaz-Siyah
Bitiş	1 adet dikilmiş yüksük ilmek
Ağırlık (kg) (kg)	3,8
Düşmeye karşı çalışma koşulları	Kurtarma halatı üzerinde hareket, Uzun dikey hareket ya da eğimli yüzeylerde hareket
Uzunluk (ft)	98.4241



Fall protection

AN06430B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow up for the user over a length of 30 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN2030102030 [AN06430B]	White-Black	30 m	AN06430B	3295249309442	13295249309449	5	1	20.0 kg	23.0 cm	80.0 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height