



Fall protection

AN06420B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres



Specific benefits



Ease of Use

- NFC system guarantees traceability

Applications

- Building
- Finishing Works/Craftsmanship
- Maintenance

Certifications and norms



CATEGORY III

EN353-2
120 KG

Risk Protection



Fall



enjoy safety

Edit 17/07/2026
www.deltaplus-usa.com



Fall protection

AN06420B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres

Standards - Details

Technical details

Type of equipment	Braided rope
Composition of the main support	Steel, Stainless steel, Polyamide
Max. length (m)	20
Length (m)	20
Rope diameter (mm)	12
Color	White-Black
Ending	1 loop sewn thimble
Weight (kg)	2,850
Fall arrest work situations	Movement on lifeline, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work
Lenght (ft)	65.616



Fall protection

AN06420B

FALL ARRESTERS ON ROPE

Sliding fall arrest system already mounted on its braided rope which makes it easy to set it up and follow-up for the user over a length of 20 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN2020101020 [AN06420B]	White-Black	20 m	AN06420B	3295249309435	13295249309432	5	1	15.0 kg	23.0 cm	76.0 cm	24.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height