Hand protection

VENICUTD12

LONG-LASTING CUT WORK

A5 rated tactile cut-resistant glove offering extreme dexterity, ideal for dry environments



Certifications and norms

CE CATEGORY II

EN 388
3 X 4 3 D

A5 5 4
A5 5 4

Risk Protection

Cutting

Wearing

Specific benefits

Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves

Performance

· Lightweight for optimal dexterity

Compatibility

· Compatible with Touchscreens

Cost-effective

· Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Technologies and labels

Touch screen

Applications

- **Finishing Works/Craftsmanship**
- **Light Industry**
- **Automotive**
- **Public Services**
- **Power Energy**

Hand protection

VENICUTD12

LONG-LASTING CUT WORK

A5 rated tactile cut-resistant glove offering extreme dexterity, ideal for dry environments

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyester, Spandex, Stainless steel fiber
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	18
Benefits element	Touch sensitive
Color	Gray
Size	7, 8, 9, 10, 11
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3
Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box

VENICUTD12

LONG-LASTING CUT WORK

Захисні рукавички

Тактильні рукавички проти порізів рівня D з надзвичайною спритністю, ідеально підходять для роботи в сухих умовах.

Logistics Information

Посилання	Колір	Розмір	Назва	EAN 13	Код коробки			Вага			
GK0412K301GR07 [VECUTD12GRG307]	Сірий	07	VENICUTD12	3295249315436	13295249315433	40	4	5.59 kg	64.85 cm	26.5 cm	19.5 cm
GK0412K301GR08 [VECUTD12GRG308]	Сірий	08	VENICUTD12	3295249315443	13295249315440	40	4	6.2 kg	65.8 cm	26.5 cm	19.8 cm
GK0412K301GR09 [VECUTD12GRG309]	Сірий	09	VENICUTD12	3295249315450	13295249315457	40	4	6.57 kg	71.0 cm	28.7 cm	19.5 cm
GK0412K301GR10 [VECUTD12GRG310]	Сірий	10	VENICUTD12	3295249315467	13295249315464	40	4	6.92 kg	71.0 cm	28.8 cm	19.5 cm
GK0412K301GR11 [VECUTD12GRG311]	Сірий	11	VENICUTD12	3295249315474	13295249315471	40	4	7.45 kg	73.5 cm	30.0 cm	19.5 cm

PCB

SPCB

Box Width

Box Depth

Box Height