



Hand protection

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.



Specific benefits



Durability

• Longer service life thanks to a double coating for excellent abrasion resistance



Hygiene

• Nitrile means no risk of allergies for users



Performance

• The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
4 X 1 1 A P



ANSI/ISEA 105-2024
A2 6 2



ANSI ISEA 138
LEVEL 1

Applications

- Public works
- Building
- Heavy industry
- Maintenance
- Oil & Gas (extraction)
- Mining

Protects against risks



Shock



Wearing



Hand protection

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

1 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

A [A-F] CUT RESISTANCE ISO 13997

P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Coating level	Fully coated except wrist
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Double Layer
Cuff characteristic	Large safety cuff
Benefits element	Vendor pack
Color	Blue
Size	10
Type of packaging	Header card

Packaging

Sale unit: Header card

60 pairs /box



Safety gloves

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GOI975IH01BL1 0 [NI97510]	Blue (C047)	10 (T015)	NI975	3295249315481	13295249315488	60	12	18.27 kg	34.5 cm	78.5 cm	24.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height