



Zaštita ruku

NI975

RADOVI SA ULJIMA I MASTIMA

Rukavica otporna na ulje zahvaljujući potpunom nitrilnom premazu.



Prednosti



Izdržljivost

• Dulji vijek trajanja zahvaljujući dvostrukom premazu koji je jako otporan na abrazije



Higijena

• Zahvaljujući nitrilu ne postoji rizik od izazivanja alergijskih reakcija kod korisnika



Performanse

• Nitrilni premaz omogućuje osobama koje rade u okruženju u kojem ima ulja i masti lakše držanje predmeta kojima se rukuje.

Certifikati i standardi



KATEGORIJA II



EN 388
4 X 1 1 A P



A2 6 2



ANSI ISEA 138
RAZINA 1

Područje upotrebe

- Javni radovi
- Zgrada
- Teška industrija
- Održavanje
- Nafta i plin (vađenje)
- Rudarska industrija

Štiti od



Šok



Habanje



Zaštita ruku

NI975

RADOVI SA ULJIMA I MASTIMA

Rukavica otporna na ulje zahvaljujući potpunom nitrilnom premazu.

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU

X [0-5] OTPORNOST NA POREZOTINE

1 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

A [A-F] CUT RESISTANCE ISO 13997

P [P] IMPACT RESISTANCE (OPTIONAL)

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Rukavica otporna na udarce
Vrsta mehaničke rukavice	Izrađena po mjeri
Posebna vrsta rukavica	Učinak
Razina premaza	Potpuni premaz osim zapešća
Vrsta premaza	Nitril
Završni premaz	Prianjujući teksturirani materijal
Broj premaza	Dvoslojni premaz
Osnovne značajke manžete	Zaštitna manšeta
Dodatna pogodnost	Može se prikvačiti
Boja	Plava
Veličina	10
Vrsta pakiranja	Etiketa

Pakiranje

Prodajna jedinica: Etiketa
60 parovi /kutija



Safety gloves

NI975

WORKS IN OILY ENVIRONMENT

Oil-resistant impact glove thanks to its full nitrile coating.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GOI975IH01BL1 0 [NI97510]	Blue	10	NI975	3295249315481	13295249315488	60	12	18.27 kg	34.5 cm	78.5 cm	24.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height