



Hand protection

TP169 Black

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip



Specific benefits



Performance

- Lightweight for optimal dexterity

Applications

- Finishing Works/Craftsmanship
- Temporary Work
- Storage

Certifications and norms



EN 388
X12XX

Risk Protection



Wearing



Hand protection

TP169 Black

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Standards - Details



EN388:2016+A1:2018

X [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-----------------------|----------------------------------|
| Glove kind | Mechanical glove |
| Glove family | Knitted uncoated glove with dots |
| Mechanical Glove Type | Tricot |
| Dots material | PVC Dots |
| Gauge | 7 |
| Benefits element | Reach |
| Color | Black |
| Size | 7, 9 |
| Type of conditioning | Bulk bag of 12 |








Safety gloves

TP169


WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics Information

| Reference | Color | Size | Designation | EAN13 | Box Code |  |  | Weight |  |  |  |
|-----------|-------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| TP16907 | White | 07 | TP169 | 3295249016036 | 13295249016033 | 300 | 12 | 19.4 kg | 46.6 cm | 59.2 cm | 24.2 cm |
| TP16909 | White | 09 | TP169 | 3295249016043 | 13295249016040 | 300 | 12 | 20.0 kg | 55.0 cm | 65.6 cm | 24.4 cm |

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height