



Head protection

BARRIER 3

WELDING

Welding mask with adjustable tinting suitable for all welding jobs



Applications

- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

Certifications and norms



EN 379

1/1/1/2
4/5-13

EN ISO 16321-2

16321 DELTA-PLUS W 15 E CE

EN166

1 B

ANSI Z87.1 - IMPACT

Z87

Protects against risks



Heat



Shock



UV / IR



Head protection

BARRIER 3

WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Standards - Details

Technical details

Use	Outside
Type of eye protection	Welding helmet
Lens matériel	Polycarbonate
Lens color	Welding 13
Optical class	1
Lens protection class	4
Mechanical strength (lens)	B
Frame color	Black, Silver
Weight (g)	500
Type of packaging	Sold individually



Head protection

BARRIER 3

WELDING

Welding mask with adjustable tinting suitable for all welding jobs

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VWLD1303BK [BARRIER3]	Black-Grey	Adjustable	BARRIER 3	3295249309992	13295249309999	6	1	7.0 kg	32.8 cm	73.2 cm	52.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height