



Fall protection

# ELARA180

## KITS

Specific fall arrest kit for roofing work



### Specific benefits



#### Ease of Use

- Two-tone strap makes harness easy to put on



#### Cost Efficiency

- Ready-to-use economic kit

### Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Maintenance
- Mining

### Certifications and norms



EN 362  
CLASS T

EN361  
140 KG

EN353-2  
120 KG

### Risk Protection



Fall



*enjoy safety*

Edit 01/08/2026  
[www.deltaplus-usa.com](http://www.deltaplus-usa.com)



Fall protection

# ELARA180

## KITS

Specific fall arrest kit for roofing work

### Standards - Details

### Technical details

|                                        |                                                        |
|----------------------------------------|--------------------------------------------------------|
| Type of equipment                      | "Roof" fall arrester set                               |
| This kit includes:                     | 1x HAR12, 1x AN06410B                                  |
| Composition of the main support        | Steel, Polyester                                       |
| Length (m)                             | 10                                                     |
| Adjustment                             | 2 adjustable lateral plates, Adjustment loop           |
| Lock                                   | Automatic system                                       |
| Number of attachment points            | 2                                                      |
| Anti-fall point                        | Dorsal, Sternal                                        |
| Included elements                      | Storage bag, D-Ring tool holder on both sides, Harness |
| Color                                  | Orange                                                 |
| Connector 1                            | Automatic lock hook, steel, opening 16mm               |
| Size                                   | S/M/L                                                  |
| Ending                                 | 1 loop sewn thimble                                    |
| Connectors (structure side)            | Automatic lock hook, steel, opening 19mm               |
| Lifespan from manufacturing (years)    | 10                                                     |
| Weight (kg)                            | 2,54                                                   |
| Number of fall arrest anchorage points | 2                                                      |
| Use                                    | Works on braided rope                                  |
| Fall arrest work situations            | Long vertical movement or movement on inclined surface |
| Safe working load (kg)                 | 120                                                    |
| Maximum breaking load (kg)             | 120                                                    |
| Length (ft)                            | 32.808                                                 |



# ELARA180

## KITS

Fall protection

Specific fall arrest kit for roofing work

### Logistics information

| Reference                    | Colour | Size  | Designation | EAN13         | Box code       |  |  | Weight   |  |  |  |
|------------------------------|--------|-------|-------------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| KIT2018001SL<br>[ ELARA180 ] | Orange | S/M/L | ELARA180    | 3295249316440 | 13295249316447 | 5                                                                                   | 1                                                                                   | 14.94 kg | 28.0<br>cm                                                                          | 40.0<br>cm                                                                          | 40.0<br>cm                                                                          |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height