



Hand protection

VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for the food industry



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Lightweight for optimal dexterity

Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance

Certifications and norms



EN 388
1 0 1 0 X



EN ISO 374-1
TYPE B
KLMP



EN ISO 374-5



Risk Protection



Biological



Chemical



Particules



Hand protection

VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for the food industry

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
0 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

K
L
M
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Coating Level	Full Coating
Coating Material	Latex
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Inner finition	Flocked
Thickness (mm)	0,38
Arm level protection	Forearm cuff (< 400mm)
Color	Yellow
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
144 pairs /box



Hand protection

VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for the food industry

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Hydroxyde de sodium 40%	K	1310-73-2	6	480	-26.8%
Acide sulfurique 96%	L	7664-93-9	2	30	49.8%
Acide nitrique 65%	M	7697-37-2	4	120	24.7%
Peroxyde d'hydrogène 30%	P	7722-84-1	4	120	-16.9%
Acide fluorhydrique 40%	S	7664-39-3	5	240	X
Formaldéhyde 37%	T	50-00-0	6	480	-16.5%



Safety gloves

VE240

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWE240C101YE07 [VE240JA06]	Yellow	6/7	VE240	3295249008680	13295249008687	144	12	7.0 kg	25.0 cm	43.0 cm	33.0 cm
GWE240C101YE08 [VE240JA07]	Yellow	7/8	VE240	3295249008697	13295249008694	144	12	7.8 kg	25.0 cm	43.0 cm	33.0 cm
GWE240C101YE09 [VE240JA08]	Yellow	8/9	VE240	3295249008703	13295249008700	144	12	8.5 kg	25.0 cm	43.0 cm	33.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height