



Hand protection

VE702PNG12

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for the automotive industry due to its low dirt colour



Specific benefits



Performance

• The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

• User-friendly worksite package, including twelve pairs for weekly use

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Temporary work

Certifications and norms



EN 388
3 1 2 1 X

Protects against risks



Wearing



Hand protection

VE702PNG12

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for the automotive industry due to its low dirt colour

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

2 [0-4] TEAR RESISTANCE

1 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Polyester
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Black
Size	8, 9, 10, 11
Type of packaging	Pack of 12

Packaging

Sale unit: Pack of 12

20 pairs /box



Safety gloves

VE702PNG12

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for the automotive industry due to its low dirt colour

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKE702UD04BK 08 [VE702PNG1208]	Black	08	VE702PNG12	3295249256722	13295249256729	20	1	7.5 kg	46.0 cm	29.8 cm	45.8 cm
GKE702UD04BK 09 [VE702PNG1209]	Black	09	VE702PNG12	3295249256739	13295249256736	20	1	8.1 kg	46.4 cm	29.4 cm	45.8 cm
GKE702UD04BK 10 [VE702PNG1210]	Black	10	VE702PNG12	3295249256746	13295249256743	20	1	8.5 kg	47.4 cm	30.4 cm	46.6 cm
GKE702UD04BK 11 [VE702PNG1211]	Black	11	VE702PNG12	3295249256753	13295249256750	20	1	8.5 kg	47.2 cm	29.8 cm	46.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height