



Head protection

ONYX2 CL2

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection CLASS 2 against electric arcs and molten metal splashes



Specific benefits



Comfort

- Balanced gravity center to prevent any musculoskeletal disorders for a prolonged use and a reduction of musculoskeletal disorders (MSDs)
- Features 3 textiles straps with 6 fixing points for a better spread of weight



Easy to use

- Ratchet for an easy to set-up and remove
- Rotor® system (patented) a simple and quick adjustment with or without gloves



Hygiene

- Replaceable suspension for a better hygiene
- Removable brow pad washable and replaceable for a perfect hygiene solution

Technologies & labels



D-ONE-ROTOR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Oil & Gas (extraction)
- Power Energy

Certifications and norms



EN397:2012

MM
LD
-20°C +50°C
440VAC



EN 50365
CLASS 0

ANSI-ISEA Z89.1

TYPE 1
CLASS E

EN 170

1,4

NF EN IEC 62819:2023

APC2 (7KA)

Protects against risks



Heat



Shock



UV / IR



Electrical



Head protection

ONYX2 CL2

SAFETY HELMETS

Double-shell safety helmet, equipped with a visor, for protection CLASS 2 against electric arcs and molten metal splashes

Standards - Details

Technical details

Type of product	Specific helmet
Specific helmet	Arc flash helmet
Shell material	ABS
Head size (cm)	53-64
Harness headband material	PEBD
Harness adjustment	Wheel ratchet
Ventilation	Non vented
Main color	White
Headdress points	6 points
Neckband material	Foam
Jugular points	4 points
Integrated option	Jugular, Shield
Custom logo	Unavailable
Low temperature resistance	-20°C
High temperature resistance	+50°C
Weight (g)	790
Weight (lbs)	1.7381
Lifespan from first use	48 months
Lifespan from manufacturing	84 months
Contained colors	White
Type of packaging	Sold individually
Jugular material	Textile



Fejvédelem

ONYX2 CL2

SAFETY HELMETS

Kéthéjú védősisak, napellenzővel felszerelve, CLASS 2 osztályú védelemre az elektromos ívek és az olvadt fém fröccsenése ellen.

Logisztikai információk

Hivatkozás	Szín	Méret	Leírás	EAN 13	Karton kód			Súly			
ONYX0Y102WHA D [ONYX2CL2BJ]	Fehér	Állítható	ONYX2 CL2	3295249319335	13295249319332	6	1	8.44 kg	33.4 cm	44.0 cm	76.8 cm



darab/doboz



legkisebb rendelési egység



doboz szélessége



doboz hossza



doboz magassága