



Oprema protiv pada

AN207200AD

UŽAD ZA AMORTIZACIJU PADA

Kompaktna uzica koja apsorbira energiju testirana na oštrim rubovima za različite pokrete na kratkim udaljenostima



Prednosti



Higijena

- Mogućnost pranja pojaseva i tkanine neutralnim sapunom



performanse

- Certificirano za maksimalno nazivno opterećenje veće od 100 kg: proizvod certificiran za 140 kg



Jednostavnost korištenja

- NFC sustav koji jamči sljedivost

Certifikati i standardi



EN355

CERTIFIKAT ZA HORIZONTALNO KORIŠTENJE - 140 KG
RFU 11.062
140 KG

Područje upotrebe

- Javni radovi
- Pomoćni poslovi / Obrtništvo
- Automobilska
- Skladištenje

Štiti od



Pad



Oprema protiv pada

AN207200AD

UŽAD ZA AMORTIZACIJU PADA

Kompaktna uzica koja apsorbira energiju testirana na oštrim rubovima za različite pokrete na kratkim udaljenostima

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Pleteno uže
Sastav glavnog nosača	Čelik, Poliamid, Poliester
Duljina (m)	2
Promjer užeta (mm)	12
S priključkom	yes
Boja	Bijela-Crna
Spona (na strani korisnika)	Samozaključavajuća kuka, čelik, otvor 19 mm
Dodatna pogodnost	Leading edge (vodeći rub)
Završetak	2 našivene petlje na naprsku
Spona (na strani konstrukcije)	1 kuka s automatskim zaključavanjem, čelična, s otvorom od 55 mm
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	1,1
Radne situacije za zaštitu od pada	Kretanje na horizontalnom sustavu učvršćenja (lifeline), Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m)
Duljina (ft)	6.5616



Fall protection

AN207200AD

ENERGY ABSORBING LANYARDS

Compact, energy-absorbing lanyard tested on sharp edges for various movements for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ENAS3002DZ021 [AN207200AD]	White-Black	2 m	AN207200AD	3295249313760	13295249313767	5	1	6.64 kg	28.0 cm	44.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height