



SAULT2 S3 SR ESD

ESD

High-cut shoe with a wider fit and robust construction for ESD environments

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Wide shape to accommodate stronger foot morphologies
- Padded tongue to reduce pressure points in the lacing area
- Padded collar for comfort and ankle support



Performance

- Enhanced protection against electrostatic discharge
- Ladder side grip: sole design for good grip on ladders

Certifications and norms



EN ISO 20345:2022
S3 WPA FO A E ESD SR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

Protects against risks



Antistatic



Shock



Slip



Perforation



SAULT2 S3 SR ESD

ESD

High-cut shoe with a wider fit and robust construction for ESD environments

Foot protection

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Croupon, Pigmented, Water repellent
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamid
Footbed material	EVA, Polyamide
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	734
Size range	39 → 48



SAULT2 S3 SR ESD

ESD

Safety footwear

High-cut shoe with a wider fit and robust construction for ESD environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
SAULS0303BK039 [SAUL2ES3NO39]	Black	39	SAULT2 S3 SR ESD	3295249210687	13295249210684	5	1	8.4 kg	23.0 cm	59.4 cm	34.8 cm
SAULS0303BK040 [SAUL2ES3NO40]	Black	40	SAULT2 S3 SR ESD	3295249210694	13295249210691	5	1	9.1 kg	60.0 cm	22.0 cm	33.5 cm
SAULS0303BK041 [SAUL2ES3NO41]	Black	41	SAULT2 S3 SR ESD	3295249210700	13295249210707	5	1	8.8 kg	23.2 cm	59.6 cm	34.8 cm
SAULS0303BK042 [SAUL2ES3NO42]	Black	42	SAULT2 S3 SR ESD	3295249210717	13295249210714	5	1	9.5 kg	25.8 cm	64.8 cm	35.6 cm
SAULS0303BK043 [SAUL2ES3NO43]	Black	43	SAULT2 S3 SR ESD	3295249210724	13295249210721	5	1	9.4 kg	25.4 cm	64.6 cm	35.8 cm
SAULS0303BK044 [SAUL2ES3NO44]	Black	44	SAULT2 S3 SR ESD	3295249210731	13295249210738	5	1	9.9 kg	25.2 cm	65.2 cm	35.8 cm
SAULS0303BK045 [SAUL2ES3NO45]	Black	45	SAULT2 S3 SR ESD	3295249210748	13295249210745	5	1	11.0 kg	67.5 cm	23.5 cm	36.0 cm
SAULS0303BK046 [SAUL2ES3NO46]	Black	46	SAULT2 S3 SR ESD	3295249210755	13295249210752	5	1	11.0 kg	31.6 cm	64.4 cm	36.2 cm
SAULS0303BK047 [SAUL2ES3NO47]	Black	47	SAULT2 S3 SR ESD	3295249210762	13295249210769	5	1	11.6 kg	31.8 cm	65.8 cm	36.6 cm
SAULS0303BK048 [SAUL2ES3NO48]	Black	48	SAULT2 S3 SR ESD	3295249210779	13295249210776	5	1	11.6 kg	31.8 cm	65.2 cm	36.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth

Box Height