



Foot protection

CALYPSO S3S SR

CONSTRUCTION

Robust non-magnetic ranger for the construction industry, with a wider fit and robust construction



Specific benefits



Comfort

- Wide shape to accommodate stronger foot morphologies
- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Padded collar for comfort and ankle support



Performance

- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345:2022
S3S WPA FO A E CR SR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

CALYPSO S3S SR

CONSTRUCTION

Robust non-magnetic ranger for the construction industry, with a wider fit and robust construction

Standards - Details

Technical details

Shoe type	Very high-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Buffalo leather
Upper finition material	Smooth, Water repellent
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA, Polyamide
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	856
Size range	39 → 48



Safety footwear

CALYPSO S3S SR

CONSTRUCTION

Robust non-magnetic ranger for the construction industry, with a wider fit and robust construction

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CALYS3S01BK03 9 [CALYPS3NO39]	Black	39	CALYPSO S3S SR	3295249203368	13295249203365	5	1	10.4 kg	32.5 cm	68.2 cm	36.5 cm
CALYS3S01BK04 0 [CALYPS3NO40]	Black	40	CALYPSO S3S SR	3295249203375	13295249203372	5	1	10.8 kg	32.5 cm	68.2 cm	36.5 cm
CALYS3S01BK04 1 [CALYPS3NO41]	Black	41	CALYPSO S3S SR	3295249203382	13295249203389	5	1	11.0 kg	32.5 cm	68.2 cm	36.5 cm
CALYS3S01BK04 2 [CALYPS3NO42]	Black	42	CALYPSO S3S SR	3295249203399	13295249203396	5	1	10.0 kg	32.4 cm	65.4 cm	36.0 cm
CALYS3S01BK04 3 [CALYPS3NO43]	Black	43	CALYPSO S3S SR	3295249203405	13295249203402	5	1	10.9 kg	30.8 cm	65.6 cm	35.6 cm
CALYS3S01BK04 4 [CALYPS3NO44]	Black	44	CALYPSO S3S SR	3295249203412	13295249203419	5	1	11.0 kg	31.6 cm	66.4 cm	35.8 cm
CALYS3S01BK04 5 [CALYPS3NO45]	Black	45	CALYPSO S3S SR	3295249203429	13295249203426	5	1	12.5 kg	32.5 cm	68.2 cm	36.5 cm
CALYS3S01BK04 6 [CALYPS3NO46]	Black	46	CALYPSO S3S SR	3295249203436	13295249203433	5	1	11.7 kg	32.0 cm	68.0 cm	36.4 cm
CALYS3S01BK04 7 [CALYPS3NO47]	Black	47	CALYPSO S3S SR	3295249203443	13295249203440	5	1	13.5 kg	32.5 cm	68.2 cm	36.5 cm
CALYS3S01BK04 8 [CALYPS3NO48]	Black	48	CALYPSO S3S SR	3295249203450	13295249203457	5	1	13.8 kg	32.5 cm	68.2 cm	36.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height