



Foot protection

SAULT2 S3 SR

CONSTRUCTION

Robust high-cut shoe for the construction industry, with a wider fit and robust construction



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Wide shape to accommodate stronger foot morphologies
- Dual-density outsole
- Padded collar for comfort and ankle support



Performance

- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345:2022
S3 WPA FO A E SR

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

SAULT2 S3 SR

CONSTRUCTION

Robust high-cut shoe for the construction industry, with a wider fit and robust construction

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Croupon, Pigmented, Water repellent
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamid
Footbed material	EVA, Polyamide
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	736
Size range	39 → 48



SAULT2 S3 SR

CONSTRUCTION

Safety footwear

Robust high-cut shoe for the construction industry, with a wider fit and robust construction

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
SAULS0302BK03 9 [SAUL2S3NO39]	Black	39	SAULT2 S3 SR	3295249209797	13295249209794	5	1	8.4 kg	23.4 cm	59.8 cm	33.8 cm
SAULS0302BK04 0 [SAUL2S3NO40]	Black	40	SAULT2 S3 SR	3295249209803	13295249209800	5	1	8.6 kg	23.6 cm	59.4 cm	34.6 cm
SAULS0302BK04 1 [SAUL2S3NO41]	Black	41	SAULT2 S3 SR	3295249209810	13295249209817	5	1	8.9 kg	23.4 cm	60.0 cm	34.2 cm
SAULS0302BK04 2 [SAUL2S3NO42]	Black	42	SAULT2 S3 SR	3295249209827	13295249209824	5	1	9.5 kg	24.8 cm	64.2 cm	35.8 cm
SAULS0302BK04 3 [SAUL2S3NO43]	Black	43	SAULT2 S3 SR	3295249209834	13295249209831	5	1	9.7 kg	24.8 cm	64.8 cm	36.0 cm
SAULS0302BK04 4 [SAUL2S3NO44]	Black	44	SAULT2 S3 SR	3295249209841	13295249209848	5	1	10.3 kg	31.4 cm	65.6 cm	35.8 cm
SAULS0302BK04 5 [SAUL2S3NO45]	Black	45	SAULT2 S3 SR	3295249209858	13295249209855	5	1	10.6 kg	31.4 cm	65.2 cm	36.0 cm
SAULS0302BK04 6 [SAUL2S3NO46]	Black	46	SAULT2 S3 SR	3295249209865	13295249209862	5	1	10.6 kg	31.6 cm	64.8 cm	36.2 cm
SAULS0302BK04 7 [SAUL2S3NO47]	Black	47	SAULT2 S3 SR	3295249209872	13295249209879	5	1	11.6 kg	31.8 cm	65.4 cm	37.6 cm
SAULS0302BK04 8 [SAUL2S3NO48]	Black	48	SAULT2 S3 SR	3295249209889	13295249209886	5	1	11.6 kg	36.0 cm	65.6 cm	31.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height