Foot protection

CADEROUSSE S3 SR

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry



Specific benefits

Comfort

· Stabilisation of the foot when walking
· Shock-absorbing heel to relieve joint strain
· Wide shape to accommodate stronger foot morphologies
· Dual-density outsole

Performance

· High stability ensured by the sole's grip properties

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Light industry**
- **Maintenance**
- **Automotive**

Certifications and norms

CE

EN ISO 20345:2022
S3 CI WPA FO A E SR

Protects against risks

Antistatic | Shock | Cold | Slip



Foot protection

CADEROUSSE S3 SR

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Standards - Details

Technical details

Shoe type	Very high-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Grain Leather, Water repellent
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester, Synthetical-fur
Footbed material	Felt
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	852
Size range	39 → 48

CADEROUSSE S3 SR

AMBIENTES FRIOS

Proteção dos pés

Botas forradas com um ajuste mais largo e um fabrico robusto, dedicadas à indústria da construção

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
CADES0301BK041 [CADERS3NO41]	Preto	41	CADEROUSSE S3 SR	3295249114084	13295249114081	5	1	11.0 kg	32.5 cm	68.2 cm	36.5 cm
CADES0301BK043 [CADERS3NO43]	Preto	43	CADEROUSSE S3 SR	3295249114107	13295249114104	5	1	11.3 kg	35.6 cm	65.6 cm	31.8 cm
CADES0301BK044 [CADERS3NO44]	Preto	44	CADEROUSSE S3 SR	3295249114114	13295249114111	5	1	11.6 kg	35.8 cm	65.4 cm	31.6 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa