



Foot protection

CADEROUSSE S3 SR

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Wide shape to accommodate stronger foot morphologies
- Dual-density outsole



Performance

- High stability ensured by the sole's grip properties

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Light industry
- Maintenance
- Automotive

Certifications and norms



EN ISO 20345:2022
S3 CI WPA FO A E SR

Protects against risks



Antistatic



Shock



Cold



Slip



Foot protection

CADEROUSSE S3 SR

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Standards - Details

Technical details

Shoe type	Very high-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Grain Leather, Water repellent
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester, Synthetical-fur
Footbed material	Felt
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	852
Size range	39 → 48



Safety footwear

CADEROUSSE S3 SR

COLD ENVIRONMENT

Fur-lined ranger with a wider fit and robust construction, for the construction industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
CADES0301BK04 1 [CADER S3NO41]	Black	41	CADEROUSSE S3 SR	3295249114084	13295249114081	5	1	11.0 kg	32.5 cm	68.2 cm	36.5 cm
CADES0301BK04 3 [CADER S3NO43]	Black	43	CADEROUSSE S3 SR	3295249114107	13295249114104	5	1	11.3 kg	35.6 cm	65.6 cm	31.8 cm
CADES0301BK04 4 [CADER S3NO44]	Black	44	CADEROUSSE S3 SR	3295249114114	13295249114111	5	1	11.6 kg	35.8 cm	65.4 cm	31.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height