Ochrona rąk

TP169 Czarny

PRACE W ŚRODOWISKU SUCHYM

Rękawice mechaniczne z wypustkami dla lepszego chwytu



Zalety

Sprawność

· Duża lekkość zapewnia optymalną zręczność

Obszar użytkowania

- **Prace remontowe / Rzemiosło**
- **Praca tymczasowa**
- **Składowanie**

Certyfikaty i normy

CE KATEGORIA II

EN 388
X 1 2 X X

Chroni przed

Zużycie

Ochrona rąk

TP169 Czarny

PRACE W ŚRODOWISKU SUCHYM

Rękawice mechaniczne z wypustkami dla lepszego chwytu

Szczegóły - Normy

EN388:2016+A1:2018
X [0-4] ODPORNOŚĆ NA ŚCIERANIE
1 [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM NARZĘDZIEM
2 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Rodzina rękawic	Rękawice dzianinowe niepowlekane z wypustkami
Rodzaj rękawicy mechanicznej	Dzianina
Włókno	Poliester/bawełna
Wypustki materiałowe	Wypustki PCV
Ścieg	7
Dodatkowa zaleta	Reach
Kolor	Czarny
Rozmiary	7, 9
Rodzaj opakowania	W opakowaniu luzem: 12

Opakowanie

Jednostka sprzedaży: W opakowaniu luzem: 12
300 pary /box

Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GKT169UD01WH07 [TP16907]	White	07	TP169	3295249016036	13295249016033	300	12	19.4 kg	46.6 cm	59.2 cm	24.2 cm
GKT169UD01WH09 [TP16909]	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height