



Ochrona rąk

TP169 Czarny

PRACE W ŚRODOWISKU SUCHYM

Rękawice mechaniczne z wypustkami dla poprawy chwytu



Zalety



Sprawność

- Duża lekkość zapewnia optymalną zręczność

Obszar użytkowania

- Prace remontowe / Rzemiosło
- Praca tymczasowa
- Składowanie

Certyfikaty i normy



EN 388
X1 X2 X3

Chroni przed



Zużycie



enjoy safety

Edytowano 06/10/2026
www.deltaplus.eu



Ochrona rąk

TP169 Czarny

PRACE W ŚRODOWISKU SUCHYM

Rękawice mechaniczne z wypustkami dla poprawy chwytu

Szczegóły - Normy



EN388:2016+A1:2018

X [0-4] ODPORNOŚĆ NA ŚCIERANIE
1 [0-5] ODPORNOŚĆ NA PRZECIĘCIE OSTRYM
NARZĘDZIEM
2 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Dane techniczne

Rodzaj rękawic	Rękawice mechaniczne
Rodzina rękawic	Rękawice dzianinowe niepowlekane z wypustkami
Rodzaj rękawicy mechanicznej	Dzianina
Włókno	Poliester/bawełna
Wypustki materiałowe	Wypustki PCV
Ścieg	7
Dodatkowa zaleta	Reach
Kolor	Czarny
Rozmiary	7, 9
Rodzaj opakowania	W opakowaniu luzem: 12

Opakowanie

Jednostka sprzedaży: W opakowaniu luzem: 12
300 pary /box



Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKT169UD01WH 07 [TP16907]	White	07	TP169	3295249016036	13295249016033	300	12	19.4 kg	46.6 cm	59.2 cm	24.2 cm
GKT169UD01WH 09 [TP16909]	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height