Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica com pigmentos para melhor aderência



Benefícios únicos

Desempenho

· Grande leveza para uma destreza ideal

Aplicação

- **Acabamento / artesãos**
- **Trabalho temporário**
- **Armazenamento**

Certificações e normas

CE CATEGORIA II

EN 388
X 1 2 X X

Proteção contra riscos

Vestindo

Proteção das mãos

TP169 Preto

TRABALHOS EM AMBIENTE SECO

Luva mecânica com pigmentos para melhor aderência

Detalhes - Normas

EN388:2016+A1:2018
X [0-4] RESISTÊNCIA À ABRASÃO
1 [0-5] RESISTÊNCIA DE CORTE
2 [0-4] RESISTÊNCIA AO RASGAMENTO
X [0-4] RESISTÊNCIA À PERFURAÇÃO
X [A-F] RESISTÊNCIA AO CORTE DE ACORDO COM A NORMA ISO 13997

Detalhes técnicos

Tipo de luva	Luva mecânica
Família de luvas	Luva de malha não revestida com relevos
Tipo de luva mecânica	Tricotado
Fibra	Poliéster/algodão
Material com relevo	Relevos em PVC
Gauge	7
Vantagem adicional	Reach
Cor	Preto
Tamanho	7, 9
Tipo de embalagem	Pacote com 12 pares

Embalagem

Unidade de venda: Pacote com 12 pares
300 pares /caixa

Safety gloves

TP169

WORKS IN DRY ENVIRONMENT

Mechanical glove, with studs for a better grip

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKT169UD01WH07 [TP16907]	White	07	TP169	3295249016036	13295249016033	300	12	19.4 kg	46.6 cm	59.2 cm	24.2 cm
GKT169UD01WH09 [TP16909]	White	09	TP169	3295249016043	13295249016040	300	12	20.0 kg	55.0 cm	65.6 cm	24.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height