



Zaštita ruku

VE509

DUGOTRAJAN RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti s dobrim svojstvima prianjanja na predmete kojima se rukuje, za sve vrste primjena



Prednosti



Performanse

• Vrlo debele i dugačke za pojačanu zaštitu ruke u cijelosti

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Automobilska

Certifikati i standardi

CE KATEGORIJA III



EN 388
3 1 1 0 X



EN ISO 374-1
TIP A
IMAKLMNOPT



EN ISO 374-5

Štiti od



Biološke



Habanje



Kemijske



Čestice



Zaštita ruku

VE509

DUGOTRAJAN RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti s dobrim svojstvima prijanjanja na predmete kojima se rukuje, za sve vrste primjena

Pojedinosti - Standardi



EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU
1 [0-5] OTPORNOST NA POREZOTINE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

IMA : MÉTHANOL

K
L
M
N
O
P
T

Tehnički detalji

Vrsta rukavica	Nepropusne rukavice
Asortiman	Nepropusne rukavice s podstavom
Nepropusne rukavice	S podstavom
Razina premaza	Potpuni premaz
Vrsta premaza	Neopren
Završni premaz	Prianjujući teksturirani materijal
Broj premaza	Jednoslojni premaz
Unutarnja obrada	Flokirano
Materijal obloge	Pamučni tekstil
Debljina (mm)	0,75
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Dodatna pogodnost	Reach
Boja	Crna
Veličina	6, 7, 8, 9, 10, 11
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
120 parovi /kutija



Zaštita ruku

VE509

DUGOTRAJAN RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti s dobrim svojstvima prijanjanja na predmete kojima se rukuje, za sve vrste primjena

Permeacijska tablica

Kemikalije	Pismo	CAS broj	Razina propusnosti	Vrijeme permeacije (minute)	Prosječno propadanje
Methanol	A	67-56-1	3	60	3.8%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	4	120	23.5%
Nitric Acid 65%	M	7697-37-2	6	480	19.3%
Acetic Acid 99%	N	64-19-7	5	240	19%
Hydroxyde d'ammonium 25%	O	1336-21-6	3	60	-12.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	6.7%



Safety gloves

VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWE509C101BK07 [VE509NO06]	Black	6/7	VE509	3295249011970	13295249011977	120	12	17.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK08 [VE509NO07]	Black	7/8	VE509	3295249011987	13295249011984	120	12	13.5 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK09 [VE509NO08]	Black	8/9	VE509	3295249011994	13295249011991	120	12	15.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK10 [VE509NO09]	Black	9/10	VE509	3295249012007	13295249012004	120	12	16.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK11 [VE509NO10]	Black	10/11	VE509	3295249012014	13295249012011	120	12	17.2 kg	27.5 cm	30.0 cm	61.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height