



Oprema za zaštitu glave

# M1205V Bijela

## JEDNOKRATNE MASKE

Pakiranje od 10 FFP2 filtrirajućih maski za lice (ventil) od sintetičkog netkanog materijala. Maska s 4 preklopa prikladna za sve tipove lica. Podesiva traka za nos s pojačanim pjenastim rubom



### Prednosti



#### Udobnost

• #MUSPEC



#### Higijena

• Pojedinačno pakirana maska u vrećici, higijenska i laka za prenošenje



#### Performanse

• Ispusni ventil visokih performansi za bolje ispuštanje vlage i topline, što pruža dulju udobnost pri upotrebi



#### Jednostavna upotreba

• Zatvaranje kopčom straga



#### Kompatibilnost

• Dio za nos posebno je oblikovan kako bi u potpunosti bio kompatibilan sa zaštitnim naočalama

### Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Laka industrija
- Održavanje
- Kemijska industrija

### Certifikati i standardi



EN 149  
FFP2 NR D



Oprema za zaštitu glave

# M1205V Bijela

## JEDNOKRATNE MASKE

Pakiranje od 10 FFP2 filtrirajućih maski za lice (ventil) od sintetičkog netkanog materijala. Maski s 4 preklopa prikladna za sve tipove lica. Podesiva traka za nos s pojačanim pjenastim rubom

### Pojedinosti - Standardi

### Tehnički detalji

|                                              |                                  |
|----------------------------------------------|----------------------------------|
| Maska sa slobodnom ventilacijom              | Jednokratna maska                |
| Jednokratna maska                            | Sklopivi                         |
| Vrsta zaštite                                | Krute čestice, Kamen             |
| Ugrožene skupine                             | Krute čestice                    |
| Ventil                                       | yes                              |
| Učvršćenje                                   | Rubovi                           |
| Materijal od kojeg je izrađena maska         | Netkana sintetika                |
| Materijal od kojeg je izrađen nosni nastavak | Željezo                          |
| Karakteristike kopče za nos                  | Ugrađeno                         |
| Dodatna prednost                             | Podesivo, Bez kopči, Bez grafena |
| Maksimalni životni vijek (godine)            | 5                                |
| Težina (g)                                   | 202                              |
| Količina po kartonu (PCB)                    | 10                               |
| Packaging (unit)                             | 10                               |



Head protection

# M1205V

## DISPOSABLE RESPIRATORY

Box of 10-piece FFP2 facial filter masks (valve) in non-woven synthetic fibre.  
Foldable 4-panel mask for all types of faces. Adjustable nose bridge with foam  
edge reinforcement

### Logistics information

| Reference                        | Colour | Size       | Designation | EAN13         | Box code       |  |  | Weight |  |  |  |
|----------------------------------|--------|------------|-------------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| AER02V002WHA<br>D<br>[ M1205VC ] | White  | Adjustable | M1205V      | 3295249295271 | 13295249295278 | 10                                                                                  | 1                                                                                   | 2.6 kg | 25.4<br>cm                                                                          | 36.8<br>cm                                                                          | 38.2<br>cm                                                                          |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height