



Foot protection

MIAMI2 S1P ESD SR

ESD

Lightweight and flexible low shoe, ideal for ESD environments



Specific benefits



Comfort

- Flexible sole to reduce fatigue during use
- Lightweight product to reduce fatigue throughout the day
- Removable anatomical and ergonomic insock.



Performance

- Enhanced protection against electrostatic discharge



Easy to use

- Quick to fit



Hygiene

- Breathability

Applications

- Light industry
- Transportation
- Storage
- Others

Certifications and norms



EN ISO 20345:2022
S1P FO A E ESD SR

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

MIAMI2 S1P ESD SR

ESD

Lightweight and flexible low shoe, ideal for ESD environments

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU
Anti-perforation insert	Stainless steel
Upper material	Microfibre, Mesh, Cotton
Safety toe-cap	Stainless steel
Lining material	Polyester, Mesh
Footbed material	Polyester
Footbed characteristic	Shock-absorption, Removable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	456
Size range	35 → 48



MIAMI2 S1P ESD SR

ESD

Safety footwear

Lightweight and flexible low shoe, ideal for ESD environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
MIAMS1P04BK0 35 [MIAM2EPNO35]	Black	35	MIAMI2 S1P ESD SR	3295249307288	13295249307285	10	1	9.5 kg	23.4 cm	59.8 cm	33.2 cm
MIAMS1P04BK0 36 [MIAM2EPNO36]	Black	36	MIAMI2 S1P ESD SR	3295249307325	13295249307322	10	1	9.6 kg	23.6 cm	60.0 cm	33.6 cm
MIAMS1P04BK0 37 [MIAM2EPNO37]	Black	37	MIAMI2 S1P ESD SR	3295249307332	13295249307339	10	1	9.8 kg	23.8 cm	59.8 cm	33.4 cm
MIAMS1P04BK0 38 [MIAM2EPNO38]	Black	38	MIAMI2 S1P ESD SR	3295249307349	13295249307346	10	1	10.4 kg	24.0 cm	59.6 cm	33.6 cm
MIAMS1P04BK0 39 [MIAM2EPNO39]	Black	39	MIAMI2 S1P ESD SR	3295249307356	13295249307353	10	1	10.9 kg	24.6 cm	59.6 cm	33.6 cm
MIAMS1P04BK0 40 [MIAM2EPNO40]	Black	40	MIAMI2 S1P ESD SR	3295249307363	13295249307360	10	1	11.0 kg	24.6 cm	62.4 cm	34.8 cm
MIAMS1P04BK0 41 [MIAM2EPNO41]	Black	41	MIAMI2 S1P ESD SR	3295249307370	13295249307377	10	1	11.1 kg	24.8 cm	61.8 cm	34.8 cm
MIAMS1P04BK0 42 [MIAM2EPNO42]	Black	42	MIAMI2 S1P ESD SR	3295249307387	13295249307384	10	1	9.65 kg	26.0 cm	65.8 cm	38.2 cm
MIAMS1P04BK0 43 [MIAM2EPNO43]	Black	43	MIAMI2 S1P ESD SR	3295249307394	13295249307391	10	1	12.1 kg	25.6 cm	65.2 cm	37.0 cm
MIAMS1P04BK0 44 [MIAM2EPNO44]	Black	44	MIAMI2 S1P ESD SR	3295249307400	13295249307407	10	1	11.7 kg	26.2 cm	64.0 cm	36.6 cm
MIAMS1P04BK0 45 [MIAM2EPNO45]	Black	45	MIAMI2 S1P ESD SR	3295249307417	13295249307414	10	1	12.8 kg	26.8 cm	67.8 cm	40.2 cm
MIAMS1P04BK0 46 [MIAM2EPNO46]	Black	46	MIAMI2 S1P ESD SR	3295249307424	13295249307421	10	1	13.1 kg	27.0 cm	67.4 cm	40.2 cm
MIAMS1P04BK0 47 [MIAM2EPNO47]	Black	47	MIAMI2 S1P ESD SR	3295249307431	13295249307438	10	1	13.7 kg	27.2 cm	67.2 cm	41.0 cm
MIAMS1P04BK0 48 [MIAM2EPNO48]	Black	48	MIAMI2 S1P ESD SR	3295249307448	13295249307445	10	1	13.5 kg	26.8 cm	67.6 cm	40.6 cm



Multiple sales



Minimum sales



Box Width

Box Depth

DELTA PLUS

enjoy safety

01/09/2026
www.deltaplus.eu