Foot protection

MIAMI2 S1P ESD SR

ESD

Lightweight and flexible low shoe, ideal for ESD environments

Specific benefits

Comfort

· Flexible sole to reduce fatigue during use
· Lightweight product to reduce fatigue throughout the day
· Removable anatomical and ergonomic insock.

Performance

· Enhanced protection against electrostatic discharge

Easy to use

· Quick to fit

Hygiene

· Breathability

Applications

- **Light Industry**
- **Transportation**
- **Storage**
- **Others**

Certifications and norms

CE

S1P FO A E ESD SR

Risk Protection

Antistatic | Shock | Slip | Perforation

Foot protection

MIAMI2 S1P ESD SR

ESD

Lightweight and flexible low shoe, ideal for ESD environments

Standards - Details

Technical details

Type of Shoe	Low Shoe
Outsole material	PU
Anti-perforation insert	Stainless steel
Upper material	Microfibre, Mesh, Cotton
Safety toe-cap	Stainless steel
Lining material	Polyester, Mesh
Footbed material	Polyester
Footbed caracteristic	Shock-absorption, Removable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	456
Size range	35 → 48

Foot protection

MIAMI2 S1P ESD SR

ESD

Lightweight and flexible low shoe, ideal for ESD environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
MIAMS1P04BK035 [MIAM2EPNO35]	Black	3	MIAMI2 S1P ESD SR	3295249307288	13295249307285	10	1	9.5 kg	23.4 cm	59.8 cm	33.2 cm
MIAMS1P04BK036 [MIAM2EPNO36]	Black	4	MIAMI2 S1P ESD SR	3295249307325	13295249307322	10	1	9.6 kg	23.6 cm	60.0 cm	33.6 cm
MIAMS1P04BK037 [MIAM2EPNO37]	Black	5	MIAMI2 S1P ESD SR	3295249307332	13295249307339	10	1	9.8 kg	23.8 cm	59.8 cm	33.4 cm
MIAMS1P04BK038 [MIAM2EPNO38]	Black	6	MIAMI2 S1P ESD SR	3295249307349	13295249307346	10	1	10.4 kg	24.0 cm	59.6 cm	33.6 cm
MIAMS1P04BK039 [MIAM2EPNO39]	Black	7	MIAMI2 S1P ESD SR	3295249307356	13295249307353	10	1	10.9 kg	24.6 cm	59.6 cm	33.6 cm
MIAMS1P04BK040 [MIAM2EPNO40]	Black	7.5	MIAMI2 S1P ESD SR	3295249307363	13295249307360	10	1	11.0 kg	24.6 cm	62.4 cm	34.8 cm
MIAMS1P04BK041 [MIAM2EPNO41]	Black	8	MIAMI2 S1P ESD SR	3295249307370	13295249307377	10	1	11.1 kg	24.8 cm	61.8 cm	34.8 cm
MIAMS1P04BK042 [MIAM2EPNO42]	Black	9	MIAMI2 S1P ESD SR	3295249307387	13295249307384	10	1	9.65 kg	26.0 cm	65.8 cm	38.2 cm
MIAMS1P04BK043 [MIAM2EPNO43]	Black	10	MIAMI2 S1P ESD SR	3295249307394	13295249307391	10	1	12.1 kg	25.6 cm	65.2 cm	37.0 cm
MIAMS1P04BK044 [MIAM2EPNO44]	Black	11	MIAMI2 S1P ESD SR	3295249307400	13295249307407	10	1	11.7 kg	26.2 cm	64.0 cm	36.6 cm
MIAMS1P04BK045 [MIAM2EPNO45]	Black	11,5	MIAMI2 S1P ESD SR	3295249307417	13295249307414	10	1	12.8 kg	26.8 cm	67.8 cm	40.2 cm
MIAMS1P04BK046 [MIAM2EPNO46]	Black	12	MIAMI2 S1P ESD SR	3295249307424	13295249307421	10	1	13.1 kg	27.0 cm	67.4 cm	40.2 cm
MIAMS1P04BK047 [MIAM2EPNO47]	Black	13	MIAMI2 S1P ESD SR	3295249307431	13295249307438	10	1	13.7 kg	27.2 cm	67.2 cm	41.0 cm
MIAMS1P04BK048 [MIAM2EPNO48]	Black	14	MIAMI2 S1P ESD SR	3295249307448	13295249307445	10	1	13.5 kg	26.8 cm	67.6 cm	40.6 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth