



Foot protection

TW302 S3 SRC

CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain



Performance

- Sole designed to withstand contact heat up to 300°C
- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345:2022

S3S HRO CI HI WPA FO A E SC LG SR

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Automotive
- Mining

Protects against risks



Antistatic



Heat



Shock



Cold



Foot protection

TW302 S3 SRC

CONSTRUCTION

All-terrain low-cut shoe, combining robustness and durability, regardless of the conditions

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU, Nitrile
Anti-perforation insert	Metal free
Upper material	Leather
Upper finition material	Grain Leather, Water repellent
Safety toe-cap	Composite
Lining material	Polyamid
Lining material finition	Absorbing
Footbed material	EVA, Polyester
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole finition	Welded
Weight (g per shoe)	894
Size range	39 → 48



Fussschutz

TW302 S3 SRC

CONSTRUCTION

Halbschuh, für jede Bodenbeschaffenheit, robust und langlebig für alle Bedingungen

Logistische Informationen

Referenz	Farbe	Größe	Bezeichnung	EAN 13	Karton-Code			Gewicht			
TW30S0302BK0 39 [TW302S3NO39]	Schwarz	39	TW302 S3 SRC	3295249222727	13295249222724	5	1	8.7 kg	25.2 cm	61.8 cm	35.0 cm
TW30S0302BK0 40 [TW302S3NO40]	Schwarz	40	TW302 S3 SRC	3295249224271	13295249224278	5	1	8.8 kg	24.6 cm	62.4 cm	35.4 cm
TW30S0302BK0 41 [TW302S3NO41]	Schwarz	41	TW302 S3 SRC	3295249224288	13295249224285	5	1	9.1 kg	25.4 cm	62.2 cm	34.2 cm
TW30S0302BK0 42 [TW302S3NO42]	Schwarz	42	TW302 S3 SRC	3295249224295	13295249224292	5	1	9.4 kg	27.0 cm	62.2 cm	35.4 cm
TW30S0302BK0 43 [TW302S3NO43]	Schwarz	43	TW302 S3 SRC	3295249224301	13295249224308	5	1	9.7 kg	26.8 cm	62.4 cm	37.0 cm
TW30S0302BK0 44 [TW302S3NO44]	Schwarz	44	TW302 S3 SRC	3295249224318	13295249224315	5	1	10.2 kg	28.4 cm	62.4 cm	37.0 cm
TW30S0302BK0 45 [TW302S3NO45]	Schwarz	45	TW302 S3 SRC	3295249224325	13295249224322	5	1	10.4 kg	27.8 cm	63.4 cm	37.2 cm
TW30S0302BK0 46 [TW302S3NO46]	Schwarz	46	TW302 S3 SRC	3295249224332	13295249224339	5	1	10.5 kg	26.2 cm	63.0 cm	38.0 cm
TW30S0302BK0 47 [TW302S3NO47]	Schwarz	47	TW302 S3 SRC	3295249224349	13295249224346	5	1	10.9 kg	26.4 cm	62.6 cm	37.6 cm
TW30S0302BK0 48 [TW302S3NO48]	Schwarz	48	TW302 S3 SRC	3295249224356	13295249224353	5	1	11.2 kg	26.6 cm	62.8 cm	38.2 cm

 PCB

 SPCB

 Box Breite

 Behältertiefe

 Box-Höhe