



Foot protection

ASTI S1PS SR Beige (C210)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Specific benefits



Comfort

- Padded tongue to reduce pressure points in the lacing area
- Dual-density outsole
- Flexible sole to reduce fatigue during use



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



Hygiene

- Breathability

Certifications and norms



EN ISO 20345:2022
S1PS FO A E SR

Applications

- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance
- Automotive
- Temporary work

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

ASTI S1PS SR Beige (C210)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather, Textile
Upper finition material	Split Leather, Velvet
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA
Footbed caracteristic	Removable
Outsole finition	Injected
Weight (g per shoe)	544
Size range	36 → 48



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASTISPS01BE04 2 [ASTISPBE42]	Beige	42	ASTI S1PS SR	3295249198541	13295249198548	10	1	14.6 kg	43.4 cm	59.4 cm	34.4 cm
ASTISPS01BE04 3 [ASTISPBE43]	Beige	43	ASTI S1PS SR	3295249198558	13295249198555	10	1	14.9 kg	43.8 cm	58.6 cm	34.2 cm
ASTISPS01BE04 5 [ASTISPBE45]	Beige	45	ASTI S1PS SR	3295249198572	13295249198579	10	1	16.0 kg	65.0 cm	44.5 cm	37.0 cm
ASTISPS01BK03 6 [ASTISPNO36]	Black	36	ASTI S1PS SR	3295249198367	13295249198364	10	1	12.1 kg	41.8 cm	54.2 cm	31.0 cm
ASTISPS01BK03 7 [ASTISPNO37]	Black	37	ASTI S1PS SR	3295249198374	13295249198371	10	1	12.4 kg	41.4 cm	54.6 cm	30.8 cm
ASTISPS01BK03 8 [ASTISPNO38]	Black	38	ASTI S1PS SR	3295249198381	13295249198388	10	1	13.1 kg	59.5 cm	44.5 cm	33.5 cm
ASTISPS01BK03 9 [ASTISPNO39]	Black	39	ASTI S1PS SR	3295249198398	13295249198395	10	1	13.5 kg	60.0 cm	44.5 cm	33.5 cm
ASTISPS01BK04 0 [ASTISPNO40]	Black	40	ASTI S1PS SR	3295249198404	13295249198401	10	1	13.9 kg	42.8 cm	58.6 cm	34.2 cm
ASTISPS01BK04 1 [ASTISPNO41]	Black	41	ASTI S1PS SR	3295249198411	13295249198418	10	1	13.9 kg	43.2 cm	59.0 cm	34.6 cm
ASTISPS01BK04 2 [ASTISPNO42]	Black	42	ASTI S1PS SR	3295249198428	13295249198425	10	1	14.5 kg	43.6 cm	59.4 cm	34.8 cm
ASTISPS01BK04 3 [ASTISPNO43]	Black	43	ASTI S1PS SR	3295249198435	13295249198432	10	1	14.8 kg	43.4 cm	59.2 cm	34.6 cm
ASTISPS01BK04 4 [ASTISPNO44]	Black	44	ASTI S1PS SR	3295249198442	13295249198449	10	1	15.7 kg	43.0 cm	65.2 cm	36.8 cm
ASTISPS01BK04 5 [ASTISPNO45]	Black	45	ASTI S1PS SR	3295249198459	13295249198456	10	1	15.8 kg	43.8 cm	64.2 cm	36.8 cm
ASTISPS01BK04 6 [ASTISPNO46]	Black	46	ASTI S1PS SR	3295249198466	13295249198463	10	1	16.1 kg	44.0 cm	64.4 cm	37.0 cm
ASTISPS01BK04 7 [ASTISPNO47]	Black	47	ASTI S1PS SR	3295249198473	13295249198470	10	1	16.9 kg	39.6 cm	44.8 cm	70.2 cm
ASTISPS01BK04 8 [ASTISPNO48]	Black	48	ASTI S1PS SR	3295249198480	13295249198487	10	1	18.0 kg	45.4 cm	70.0 cm	39.6 cm
ASTISPS01GRB4 1 [ASTISPG41]	Grey-Blue	41	ASTI S1PS SR	3295249197797	13295249197794	10	1	14.4 kg	43.4 cm	59.0 cm	34.0 cm
ASTISPS01GRB4 3 [ASTISPG43]	Grey-Blue	43	ASTI S1PS SR	3295249197810	13295249197817	10	1	14.7 kg	43.0 cm	58.8 cm	34.4 cm



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height