



Foot protection

ASTI S1PS SR Grey-Blue (C066)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Specific benefits



Comfort

- Padded tongue to reduce pressure points in the lacing area
- Dual-density outsole
- Flexible sole to reduce fatigue during use



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties



Hygiene

- Breathability

Certifications and norms



EN ISO 20345:2022
S1PS FO A E SR

Applications

- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance
- Automotive
- Temporary work

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

ASTI S1PS SR Grey-Blue (C066)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather, Textile
Upper finition material	Split Leather, Velvet
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA
Footbed characteristic	Removable
Outsole finition	Injected
Weight (g per shoe)	544
Size range	36 → 48



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASTISPS01BE04 2 [ASTISPBE42]	Beige	42	ASTI S1PS SR	3295249198541	13295249198548	10	1	14.6 kg	43.4 cm	59.4 cm	34.4 cm
ASTISPS01BE04 3 [ASTISPBE43]	Beige	43	ASTI S1PS SR	3295249198558	13295249198555	10	1	14.9 kg	43.8 cm	58.6 cm	34.2 cm
ASTISPS01BE04 5 [ASTISPBE45]	Beige	45	ASTI S1PS SR	3295249198572	13295249198579	10	1	16.0 kg	65.0 cm	44.5 cm	37.0 cm
ASTISPS01BK03 6 [ASTISPNO36]	Black	36	ASTI S1PS SR	3295249198367	13295249198364	10	1	12.1 kg	41.8 cm	54.2 cm	31.0 cm
ASTISPS01BK03 7 [ASTISPNO37]	Black	37	ASTI S1PS SR	3295249198374	13295249198371	10	1	12.4 kg	41.4 cm	54.6 cm	30.8 cm
ASTISPS01BK03 8 [ASTISPNO38]	Black	38	ASTI S1PS SR	3295249198381	13295249198388	10	1	13.1 kg	59.5 cm	44.5 cm	33.5 cm
ASTISPS01BK03 9 [ASTISPNO39]	Black	39	ASTI S1PS SR	3295249198398	13295249198395	10	1	13.5 kg	60.0 cm	44.5 cm	33.5 cm
ASTISPS01BK04 0 [ASTISPNO40]	Black	40	ASTI S1PS SR	3295249198404	13295249198401	10	1	13.9 kg	42.8 cm	58.6 cm	34.2 cm
ASTISPS01BK04 1 [ASTISPNO41]	Black	41	ASTI S1PS SR	3295249198411	13295249198418	10	1	13.9 kg	43.2 cm	59.0 cm	34.6 cm
ASTISPS01BK04 2 [ASTISPNO42]	Black	42	ASTI S1PS SR	3295249198428	13295249198425	10	1	14.5 kg	43.6 cm	59.4 cm	34.8 cm
ASTISPS01BK04 3 [ASTISPNO43]	Black	43	ASTI S1PS SR	3295249198435	13295249198432	10	1	14.8 kg	43.4 cm	59.2 cm	34.6 cm
ASTISPS01BK04 4 [ASTISPNO44]	Black	44	ASTI S1PS SR	3295249198442	13295249198449	10	1	15.7 kg	43.0 cm	65.2 cm	36.8 cm
ASTISPS01BK04 5 [ASTISPNO45]	Black	45	ASTI S1PS SR	3295249198459	13295249198456	10	1	15.8 kg	43.8 cm	64.2 cm	36.8 cm
ASTISPS01BK04 6 [ASTISPNO46]	Black	46	ASTI S1PS SR	3295249198466	13295249198463	10	1	16.1 kg	44.0 cm	64.4 cm	37.0 cm
ASTISPS01BK04 7 [ASTISPNO47]	Black	47	ASTI S1PS SR	3295249198473	13295249198470	10	1	16.9 kg	39.6 cm	44.8 cm	70.2 cm
ASTISPS01BK04 8 [ASTISPNO48]	Black	48	ASTI S1PS SR	3295249198480	13295249198487	10	1	18.0 kg	45.4 cm	70.0 cm	39.6 cm
ASTISPS01GRB4 1 [ASTISPG41]	Grey-Blue	41	ASTI S1PS SR	3295249197797	13295249197794	10	1	14.4 kg	43.4 cm	59.0 cm	34.0 cm
ASTISPS01GRB4 3 [ASTISPG43]	Grey-Blue	43	ASTI S1PS SR	3295249197810	13295249197817	10	1	14.7 kg	43.0 cm	58.8 cm	34.4 cm



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height