



ASTI S1PS SR 灰色-蓝色

轻工业

足部防护

低帮安全鞋，采用Panoflex技术，以获得更好的扭转控制和行走稳定性



具体优势



舒适性

- 鞋舌添加衬垫，减少鞋带部位的压力
- 双密度鞋底
- 鞋底柔韧灵活，减少使用过程中的疲劳



高性能

- 不含金属：由于没有金属，你可以顺利通过所有的安全门。
- 鞋底抓地力确保了鞋的高稳定性



卫生环保

- 透气

应用行业

- 终饰工程/工艺
- 活动和景点
- 轻工业
- 维修业
- 汽车业
- 临时作业

标准和认证



S1PS FO A E SR

防范风险



抗静电



冲击



滑倒



穿孔



ASTI S1PS SR 灰色-蓝色

轻工业

足部防护

低帮安全鞋，采用Panoflex技术，以获得更好的扭转控制和行走稳定性

详细信息 - 标准

技术细节

鞋型	低帮鞋
外底材质	PU, 双密度
中底	无金属
鞋面材质	皮革, 织物
鞋面装饰材质	剖层革, 立绒
鞋包头	复合材料
内衬材质	织物, 聚酯纤维
鞋内底材质	EVA
鞋垫特性	可脱卸
外底工艺	注塑
重量 (克/只)	544
尺码范围	36 → 48



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASTISPS01BE04 2 [ASTISPBE42]	Beige	42	ASTI S1PS SR	3295249198541	13295249198548	10	1	14.6 kg	43.4 cm	59.4 cm	34.4 cm
ASTISPS01BE04 3 [ASTISPBE43]	Beige	43	ASTI S1PS SR	3295249198558	13295249198555	10	1	14.9 kg	43.8 cm	58.6 cm	34.2 cm
ASTISPS01BE04 5 [ASTISPBE45]	Beige	45	ASTI S1PS SR	3295249198572	13295249198579	10	1	16.0 kg	65.0 cm	44.5 cm	37.0 cm
ASTISPS01BK03 6 [ASTISPNO36]	Black	36	ASTI S1PS SR	3295249198367	13295249198364	10	1	12.1 kg	41.8 cm	54.2 cm	31.0 cm
ASTISPS01BK03 7 [ASTISPNO37]	Black	37	ASTI S1PS SR	3295249198374	13295249198371	10	1	12.4 kg	41.4 cm	54.6 cm	30.8 cm
ASTISPS01BK03 8 [ASTISPNO38]	Black	38	ASTI S1PS SR	3295249198381	13295249198388	10	1	13.1 kg	59.5 cm	44.5 cm	33.5 cm
ASTISPS01BK03 9 [ASTISPNO39]	Black	39	ASTI S1PS SR	3295249198398	13295249198395	10	1	13.5 kg	60.0 cm	44.5 cm	33.5 cm
ASTISPS01BK04 0 [ASTISPNO40]	Black	40	ASTI S1PS SR	3295249198404	13295249198401	10	1	13.9 kg	42.8 cm	58.6 cm	34.2 cm
ASTISPS01BK04 1 [ASTISPNO41]	Black	41	ASTI S1PS SR	3295249198411	13295249198418	10	1	13.9 kg	43.2 cm	59.0 cm	34.6 cm
ASTISPS01BK04 2 [ASTISPNO42]	Black	42	ASTI S1PS SR	3295249198428	13295249198425	10	1	14.5 kg	43.6 cm	59.4 cm	34.8 cm
ASTISPS01BK04 3 [ASTISPNO43]	Black	43	ASTI S1PS SR	3295249198435	13295249198432	10	1	14.8 kg	43.4 cm	59.2 cm	34.6 cm
ASTISPS01BK04 4 [ASTISPNO44]	Black	44	ASTI S1PS SR	3295249198442	13295249198449	10	1	15.7 kg	43.0 cm	65.2 cm	36.8 cm
ASTISPS01BK04 5 [ASTISPNO45]	Black	45	ASTI S1PS SR	3295249198459	13295249198456	10	1	15.8 kg	43.8 cm	64.2 cm	36.8 cm
ASTISPS01BK04 6 [ASTISPNO46]	Black	46	ASTI S1PS SR	3295249198466	13295249198463	10	1	16.1 kg	44.0 cm	64.4 cm	37.0 cm
ASTISPS01BK04 7 [ASTISPNO47]	Black	47	ASTI S1PS SR	3295249198473	13295249198470	10	1	16.9 kg	39.6 cm	44.8 cm	70.2 cm
ASTISPS01BK04 8 [ASTISPNO48]	Black	48	ASTI S1PS SR	3295249198480	13295249198487	10	1	18.0 kg	45.4 cm	70.0 cm	39.6 cm
ASTISPS01GRB4 1 [ASTISPG41]	Grey-Blue	41	ASTI S1PS SR	3295249197797	13295249197794	10	1	14.4 kg	43.4 cm	59.0 cm	34.0 cm
ASTISPS01GRB4 3 [ASTISPG43]	Grey-Blue	43	ASTI S1PS SR	3295249197810	13295249197817	10	1	14.7 kg	43.0 cm	58.8 cm	34.4 cm



Safety footwear

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height