Foot protection

ASTI S1PS SR Black (C133)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Certifications and norms

CE

EN ISO 20345:2022
S1PS FO A E SR

Protects against risks

Antistatic | Shock | Slip | Perforation

Specific benefits

Comfort

· Padded tongue to reduce pressure points in the lacing area
· Dual-density outsole
· Flexible sole to reduce fatigue during use

Performance

· Metal-free: get through every security gate without a hitch thanks to the absence of metal.
· High stability ensured by the sole's grip properties

Hygiene

· Breathability

Applications

- **Finishing works / Craftsmanship**
- **Events & scenic**
- **Light industry**
- **Maintenance**
- **Automotive**
- **Temporary work**

Foot protection

ASTI S1PS SR Black (C133)

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather, Textile
Upper finition material	Split Leather, Velvet
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA
Footbed caracteristic	Removable
Outsole finition	Injected
Weight (g per shoe)	544
Size range	36 → 48

Foot protection

ASTI S1PS SR

MANUFACTURING

Low cut shoe with Panoflex technology for better torsion control and walking stability

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
ASTISPS01BE042 [ASTISPBE42]	Beige	9	ASTI S1PS SR	3295249198541	13295249198548	10	1	14.6 kg	43.4 cm	59.4 cm	34.4 cm
ASTISPS01BE043 [ASTISPBE43]	Beige	10	ASTI S1PS SR	3295249198558	13295249198555	10	1	14.9 kg	43.8 cm	58.6 cm	34.2 cm
ASTISPS01BE045 [ASTISPBE45]	Beige	11,5	ASTI S1PS SR	3295249198572	13295249198579	10	1	16.0 kg	65.0 cm	44.5 cm	37.0 cm
ASTISPS01BK036 [ASTISPNO36]	Black	4	ASTI S1PS SR	3295249198367	13295249198364	10	1	12.1 kg	41.8 cm	54.2 cm	31.0 cm
ASTISPS01BK037 [ASTISPNO37]	Black	5	ASTI S1PS SR	3295249198374	13295249198371	10	1	12.4 kg	41.4 cm	54.6 cm	30.8 cm
ASTISPS01BK038 [ASTISPNO38]	Black	6	ASTI S1PS SR	3295249198381	13295249198388	10	1	13.1 kg	59.5 cm	44.5 cm	33.5 cm
ASTISPS01BK039 [ASTISPNO39]	Black	7	ASTI S1PS SR	3295249198398	13295249198395	10	1	13.5 kg	60.0 cm	44.5 cm	33.5 cm
ASTISPS01BK040 [ASTISPNO40]	Black	7.5	ASTI S1PS SR	3295249198404	13295249198401	10	1	13.9 kg	42.8 cm	58.6 cm	34.2 cm
ASTISPS01BK041 [ASTISPNO41]	Black	8	ASTI S1PS SR	3295249198411	13295249198418	10	1	13.9 kg	43.2 cm	59.0 cm	34.6 cm
ASTISPS01BK042 [ASTISPNO42]	Black	9	ASTI S1PS SR	3295249198428	13295249198425	10	1	14.5 kg	43.6 cm	59.4 cm	34.8 cm
ASTISPS01BK043 [ASTISPNO43]	Black	10	ASTI S1PS SR	3295249198435	13295249198432	10	1	14.8 kg	43.4 cm	59.2 cm	34.6 cm
ASTISPS01BK044 [ASTISPNO44]	Black	11	ASTI S1PS SR	3295249198442	13295249198449	10	1	15.7 kg	43.0 cm	65.2 cm	36.8 cm
ASTISPS01BK045 [ASTISPNO45]	Black	11,5	ASTI S1PS SR	3295249198459	13295249198456	10	1	15.8 kg	43.8 cm	64.2 cm	36.8 cm
ASTISPS01BK046 [ASTISPNO46]	Black	12	ASTI S1PS SR	3295249198466	13295249198463	10	1	16.1 kg	44.0 cm	64.4 cm	37.0 cm
ASTISPS01BK047 [ASTISPNO47]	Black	13	ASTI S1PS SR	3295249198473	13295249198470	10	1	16.9 kg	39.6 cm	44.8 cm	70.2 cm
ASTISPS01BK048 [ASTISPNO48]	Black	14	ASTI S1PS SR	3295249198480	13295249198487	10	1	18.0 kg	45.4 cm	70.0 cm	39.6 cm
ASTISPS01GRB41 [ASTISPGB41]	Grey-Blue	8	ASTI S1PS SR	3295249197797	13295249197794	10	1	14.4 kg	43.4 cm	59.0 cm	34.0 cm
ASTISPS01GRB43 [ASTISPGB43]	Grey-Blue	10	ASTI S1PS SR	3295249197810	13295249197817	10	1	14.7 kg	43.0 cm	58.8 cm	34.4 cm

ASTI S1PS SR

MANUFACTURING

Foot protection

Low cut shoe with Panoflex technology for better torsion control and walking stability

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height