



Hand protection

VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK



Aplikacije

- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava
- Hoteli in restavracije
- Vzdrževanje

Certifikati in norme



EN 388
3 X 4 X C



EN 407
X 1 X X X X



A3 X X

Zaščita pred tveganji



Heat



Cutting



Wearing



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standardi - podrobnosti



EN388:2016+A1:2018

3 [0-4] ODPORNOST PROTI OBRABI
X [0-5] REZNA UPORNOST
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] OBNAŠANJE PRI GORENJU
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnične podrobnosti

Vrsta rokavic	Mehanska rokavica
Družina rokavic	Pletena prevlečena rokavica
Vrsta mehanske rokavice	Pleteno
Preja za votke	HEATnocut
Raven premaza	Prevlečena dlan
Premazni material	Nitril
Finalizacija premaza	Gladko
Število plasti	Enoslojni
Merilnik	10
Barva	Rumna-Siva
Velikost	7, 9, 10
Vrsta embalaže	v posameznih vrečkah

Pakiranje

Prodajna enota: v posameznih vrečkah
120 pari /box



Safety gloves

VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0555K101YE07 [VECUT5507]	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height