



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance

Certifications and norms



EN 388
3 X 4 X C



EN 407
X 1 X X X X



Risk Protection



Heat



Cutting



Wearing



VENICUT55

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted uncoated glove
Mechanical Glove Type	Tricot
Gauge	10
Color	Yellow-Grey
Size	7, 9, 10
Type of conditioning	in individual bags








VENICUT55


SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VECUT5507	Yellow-Grey	07	VENICUT55	0	0	120	12	10.7 kg	30.4 cm	65.8 cm	28.0 cm
VECUT5509	Yellow-Grey	09	VENICUT55	0	0	120	12	12.0 kg	30.2 cm	66.2 cm	29.6 cm
VECUT5510	Yellow-Grey	10	VENICUT55	0	0	120	12	12.6 kg	30.6 cm	66.4 cm	28.6 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height