



Hand protection

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments



Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Temporary work

Certifications and norms



EN 388
2142X



Hand protection

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

| | |
|-------------------------------|----------------------|
| Glove kind | Mechanical glove |
| Glove family | Knitted coated glove |
| Mechanical glove kind | Knitted |
| Coating material and finition | Latex grip textured |
| Coating level | Palm coated |
| Number of layer | Single layer |
| Gauge | 10 |
| Benefits element | Reach, Azo Free |
| Color | Yellow-orange |
| Size | 8, 9, 10, 11 |
| Type of packaging | Pack of 12 |



Safety gloves

VE730

WORKS IN WET ENVIRONMENT

Mechanical glove with a very good grip owing to its crinkle coating, ideal for dry and wet environments

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | Multiple sales | Minimum sales | Weight |
|-----------|---------------|------|-------------|---------------|----------------|----------------|---------------|---------|
| VE730OR08 | Yellow-orange | 08 | VE730 | 3295249023935 | 13295249023932 | 120 | 12 | 10.4 kg |
| VE730OR09 | Yellow-orange | 09 | VE730 | 3295249023928 | 13295249023925 | 120 | 12 | 11.0 kg |
| VE730OR10 | Yellow-orange | 10 | VE730 | 3295249023911 | 13295249023918 | 120 | 12 | 12.2 kg |
| VE730OR11 | Yellow-orange | 11 | VE730 | 3295249216191 | 13295249216198 | 120 | 12 | 12.9 kg |