



Hand protection

VENICUTB04

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for dry conditions



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

· User-friendly worksite package, including three pairs for weekly use

Applications

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Rudarska industrija

Certifications and norms



EN 388
3 X 4 2 B

ANSI ISEA 105
A2



Hand protection

VENICUTB04

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove, ideal for dry conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Siva
Size	6, 7, 8, 9, 10, 11
Type of packaging	Pack of 3



VENICUTB04

TRABAJOS LIGERAMENTE CORTANTES DE LARGA DURACIÓN

Guantes anticorte nivel B, ideales para condiciones secas

Protección de las manos

Información logística								
Referencia	Color	Tamaño	Descripción	EAN 13	Código caja	Caja completa	Mín. Vta. (múltiplo)	Peso
VECUTB04GRG306	Gris	06	VENICUTB04	3295249202620	13295249202627	40	4	3.3 kg
VECUTB04GRG307	Gris	07	VENICUTB04	3295249202613	13295249202610	40	4	6.9 kg
VECUTB04GRG308	Gris	08	VENICUTB04	3295249202637	13295249202634	40	4	7.7 kg
VECUTB04GRG309	Gris	09	VENICUTB04	3295249202644	13295249202641	40	4	8.0 kg
VECUTB04GRG310	Gris	10	VENICUTB04	3295249202651	13295249202658	40	4	8.2 kg
VECUTB04GRG311	Gris	11	VENICUTB04	3295249202668	13295249202665	40	4	3.3 kg