



Προστασία των χεριών

FCN29

ΣΤΕΓΝΟ ΠΕΡΙΒΑΛΛΟΝ ΕΡΓΑΣΙΑΣ

Δερμάτινο γάντι μηχανικής προστασίας για πολλαπλές εργασίες, ιδανικό για ξηρό περιβάλλον



Περιοχή χρήσης

- Δημόσια έργα
- Οικοδομική βιομηχανία
- Λεπτές εργασίες / Καλλιτεχνίες
- Προσωρινή εργασία
- Αποθήκευση

Πιστοποιήσεις και Προτυπα



Προστατεύει από



Φθορά



Προστασία των χεριών

FCN29

ΣΤΕΓΝΟ ΠΕΡΙΒΑΛΛΟΝ ΕΡΓΑΣΙΑΣ

Δερμάτινο γάντι μηχανικής προστασίας για πολλαπλές εργασίες, ιδανικό για ξηρό περιβάλλον

Λεπτομερείες - Προτυπα



EN388:2016+A1:2018

2 [0-4] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΤΡΙΒΗ
1 [0-5] ΑΝΤΙΣΤΑΣΗ ΣΤΗΝ ΚΟΠΗ
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Τεχνικές λεπτομέρειες

Τύπος γαντιού	Γάντι μηχανικής προστασίας
Κατηγορία γαντιών	Γάντι με ραφές και δερμάτινη παλάμη/ράχη
Τύπος μηχανικού γαντιού	Κομμένο/ραμμένο
Πάχος (mm)	0,9 -> 1,1
Χαρακτηριστικό μανσέτας	Ανοικτή μανσέτα ελαστικής ράχης
Χρώμα	Φυσικό
Μέγεθος	8, 9, 10, 11
Τύπος συσκευασίας	Σακουλάκι των 12

Συσκευασία

Μονάδα πώλησης: Σακουλάκι των 12
120 ζεύγη /box



Safety gloves

FCN29

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GLFCN2UD01NA 10 [FCN2910]	Natural	10	FCN29	3295249028886	13295249028883	120	12	17.6 kg	28.6 cm	63.0 cm	30.8 cm
GLFCN2UD01NA 11 [FCN2911]	Natural	11	FCN29	3295249028893	13295249028890	120	12	18.5 kg	27.8 cm	63.6 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height