

DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Hand protection



Certifications and norms



EN 388

1010X



EN ISO 374-1

TYPE A AKLMNPT



EN ISO 374-5



LIT 150 57 4 1

Specific benefits



 \cdot High-quality coating extends the life of the glove and provides excellent protection for the hand



· Lightweight for optimal dexterity

Applications

- Agriculture
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Accomodation & Food services
- Maintenance
- Chemical industry





Edit 05/05/2024 www.deltaplus.eu



DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Hand protection

Chemical glove, ideal for handling chemicals and micro-organisms

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE 0 [0-5] CUT RESISTANCE 1 [0-4] TEAR RESISTANCE 0 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374 A : MÉTHANOL

L M N P

Κ

T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Latex double layer
Coating level	Fully coated
Number of layer	Double Layer
Thickness	0,60 mm
Arm level protection	Forearm cuff (< 400mm)
Color	Blue-Yellow
Size	6, 7, 8, 9, 10
Type of packaging	in individual bags



enjoy s

Edit 05/05/2024 www.deltaplus.eu



DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Safety gloves

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
VE330BJ06	Blue-Yellow	6/7	DUOCOLOR VE330	3295249009533	13295249009530	144	12	10.9 kg	
VE330BJ07	Blue-Yellow	7/8	DUOCOLOR VE330	3295249009540	13295249009547	144	12	14.0 kg	
VE330BJ08	Blue-Yellow	8/9	DUOCOLOR VE330	3295249009557	13295249009554	144	12	12.5 kg	
VE330BJ09	Blue-Yellow	9/10	DUOCOLOR VE330	3295249009564	13295249009561	144	12	13.7 kg	



enjoy so

07/05/2024 www.deltaplus.eu