



Zaštita ruku

DUOCOLOR VE330

POVREMENI RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti, idealna za rukovanje kemikalijama i mikroorganizmima



Prednosti



Izdržljivost

• Visokokvalitetni premaz produljuje vijek trajanja rukavica i osigurava vrlo dobru zaštitu ruku



Performanse

• Iznimno lagano za optimalnu pokretljivost

Područje upotrebe

- Poljoprivreda
- Pomoćni poslovi / Obrtništvo
- Proizvodnja / Prerada
- Hotelijerstvo / Ugostiteljstvo
- Održavanje
- Kemijska industrija

Certifikati i standardi



EN 388
1 0 1 0 X



EN ISO 374-1
TIP A
IMAKLMNPT



EN ISO 374-5



Štiti od



Biološke



Kemijske



Čestice



Zaštita ruku

DUOCOLOR VE330

POVREMENI RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti, idealna za rukovanje kemikalijama i mikroorganizmima

Pojedinosti - Standardi



EN388:2016+A1:2018

1 [0-4] OTPORNOST NA ABRAZIJU
0 [0-5] OTPORNOST NA POREZOTINE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

IMA : MÉTHANOL

K
L
M
N
P
T

Tehnički detalji

Vrsta rukavica	Nepropusne rukavice
Asortiman	Nepropusne rukavice bez pudera i s podstavom
Nepropusne rukavice	Bez podstave
Razina premaza	Potpuni premaz
Vrsta premaza	Lateks
Završni premaz	Prianjujući teksturirani materijal, Dvostruki premaz
Broj premaza	Dvoslojni premaz
Unutarnja obrada	Flokirano
Debljina (mm)	0,60
Razina zaštite ruke	Duljina: u predjelu podlaktice (< 400 mm)
Boja	Plava-Žuta
Veličina	6/7, 7/8, 8/9, 9/10
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
144 parovi /kutija



Zaštita ruku

DUOCOLOR VE330

POVREMENI RAD S KEMIKAJIJAMA

Rukavica za zaštitu od kemijskih opasnosti, idealna za rukovanje kemikalijama i mikroorganizmima

Permeacijska tablica

Kemikalije	Pismo	CAS broj	Razina propusnosti	Vrijeme permeacije (minute)	Prosječno propadanje
Methanol	A	67-56-1	2	30	9.4%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-2.4%
Acide Sulfurique 96%	L	7664-93-9	3	60	36.0%
Nitric Acid 65%	M	7697-37-2	5	240	2.1%
Acetic Acid 99%	N	64-19-7	2	30	8.5%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	5.7%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	2.0%



Safety gloves

DUOCOLOR VE330

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWE330C101BL07 [VE330BJ06]	Blue-Yellow	6/7	DUOCOLOR VE330	3295249009533	13295249009530	144	12	10.9 kg	46.0 cm	29.0 cm	35.0 cm
GWE330C101BL08 [VE330BJ07]	Blue-Yellow	7/8	DUOCOLOR VE330	3295249009540	13295249009547	144	12	14.0 kg	46.0 cm	29.0 cm	35.0 cm
GWE330C101BL09 [VE330BJ08]	Blue-Yellow	8/9	DUOCOLOR VE330	3295249009557	13295249009554	144	12	12.5 kg	46.0 cm	29.0 cm	35.0 cm
GWE330C101BL10 [VE330BJ09]	Blue-Yellow	9/10	DUOCOLOR VE330	3295249009564	13295249009561	144	12	13.7 kg	46.0 cm	29.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height