

## **DUOCOLOR VE330**

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms



### **Certifications and norms**





**EN 388** 1010X



**EN ISO 374-1** 

TYPE A AKLMNPT



**EN ISO 374-5** 



### **Specific benefits**



#### **Durability**

· High-quality coating extends the life of the glove and provides excellent protection for the hand



#### **Performance**

· Lightweight for optimal dexterity

## **Applications**

- Agriculture
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance
- Chemical Industry







# **DUOCOLOR VE330**

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

#### **Standards - Details**



#### EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE 0 [0-5] CUT RESISTANCE 1 [0-4] TEAR RESISTANCE 0 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



#### **EN 374**

A: MÉTHANOL K L M N P

#### **Technical details**

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Double Layered Latex
Coating Level	Full Coating
Number of Coatings	Double Coated
Thickness	0,60 mm
Arm level protection	Forearm cuff (< 400mm)
Color	Blue-Yellow
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bags







# **DUOCOLOR VE330**

## WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove, ideal for handling chemicals and micro-organisms

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
VE330BJ06	Blue-Yellow	6/7	DUOCOLOR VE330	3295249009533	13295249009530	144	12	10.9 kg	
VE330BJ07	Blue-Yellow	7/8	DUOCOLOR VE330	3295249009540	13295249009547	144	12	14.0 kg	
VE330BJ08	Blue-Yellow	8/9	DUOCOLOR VE330	3295249009557	13295249009554	144	12	12.5 kg	
VE330BJ09	Blue-Yellow	9/10	DUOCOLOR VE330	3295249009564	13295249009561	144	12	13.7 kg	



