



手部防护

VENICUTA901

高强度切割环境作业

防割手套采用 18 号针距，具有最高级别的防割性能和极高的工作灵活性。



具体优势



易用性

· 可触屏，用户在使用平板电脑或智能手机时，无需摘下手套



高性能

· 重量非常轻，使其具备最佳的灵巧性

· Xtrem CUT纤维使手套更加舒适灵活，同时具备市面上最高等级的防切割性能

· 丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力

· 高性能HEATnocut纤维使其具备高温耐接触性 (100°C可持续15秒)

技术与标签

XTREMcut+

XTREMcut+



触摸屏

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 重工业
- 维修业
- 汽车业

标准和认证



EN 388
4 X 4 2 F



EN 407
X 1 X X X X



A9 6 3

防范风险



高温



切割



滑倒



磨损



enjoy safety.

编辑 06/08/2026
www.deltaplus.com.cn



VENICUTA901

高强度切割环境作业

手部防护

防割手套采用 18 号针距，具有最高级别的防割性能和极高的工作灵活性。

详细信息 - 标准



EN388:2016+A1:2018
4 [0-4] 耐磨
X [0-5] 防切割
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997



EN 407
X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
纬纱	玻璃纤维, Xtremcut, 钨
涂层水平	掌面涂层
涂层材质	丁腈, 热塑性塑料
涂层饰面	抓纹涂层
涂层数	单涂层
针数	18
产品优势	触摸感应
颜色	绿色-黑色
尺码	8, 9, 10, 11
包装类型	独立包装

包装

销售单位: 独立包装

2 成对/箱



Safety gloves

VENICUTA901

INTENSE CUT WORK

Cut-resistant glove with the highest level of cut resistance combined with extreme working finesse thanks to its 18 gauge.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0901K101GN 08 [VECUTA901VE08]	Green-Black	08	VENICUTA901	3295249297664	13295249297661	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
GK0901K101GN 09 [VECUTA901VE09]	Green-Black	09	VENICUTA901	3295249297671	13295249297678	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
GK0901K101GN 10 [VECUTA901VE10]	Green-Black	10	VENICUTA901	3295249297688	13295249297685	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm
GK0901K101GN 11 [VECUTA901VE11]	Green-Black	11	VENICUTA901	3295249297695	13295249297692	60	6	0.0 kg	31.0 cm	75.0 cm	17.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height