



Hand protection

EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments



Specific benefits



Durability

- High-quality coating extends the life of the glove and provides excellent protection for the hand



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Flexible reinforcements for added protection against impact and pinching
- SOFTnocut fiber provides excellent cut resistance

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

Certifications and norms



EN 388

3 X 4 2 D P



EN 407

X 2 X X X X



Hand protection

EOS FLEX CUT D VV922

LONG-LASTING CUT WORK

Impact-resistant glove with level D cut protection for the whole hand, ideal for multi-purpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Special gloves kind	Impact
Coating material and finition	Thermoplastic smooth
Coating level	Fully coated except wrist
Number of layer	Single layer
Gauge	15
Color	Black
Size	8, 9, 10, 11
Type of packaging	Sold individually



Ochrona rąk

EOS FLEX CUT D VV922

DŁUGOTRWAŁA PRACA Z RYZYKIEM PRZECIĘCIA

Rękawice klasy D chroniące przed uderzeniem, odporne na przecięcie, zapewniają ochronę całej ręki i nadają się idealnie do prac wielozadaniowych w środowiskach wodnych lub zaolejonych

Informacje logistyczne

Referencja	Kolor	Rozmiar	Model	EAN 13	Kod kartonu	Ilość w kart.	Min. zam.	Waga
VV922NO09	Czarny	09	EOS FLEX CUT D VV922	3295249268640	13295249268647	60	6	18.52 kg