

# **VE727**

#### **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions



# **Certifications and norms**





4131A

## **Risk Protection**



# **Specific benefits**



## Hygiene

· Nitrile means no risk of allergies for users



#### **Performance**

·The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

# **Applications**

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining







# **VE727**

## **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions

## **Standards - Details**



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

1 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE A [A-F] CUT RESISTANCE ISO 13997

## **Technical details**

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	Smooth Aqua Polymer
Coating Level	Palm Coating
Number of Coatings	Single Coated
Dots material	Nitrile Dots
Gauge	15
Benefits element	Vendor pack
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bags







# **VE727**

#### **WORKS IN OILY ENVIRONMENT**

Mechanical glove, with good properties for working and grip in oily conditions

#### **Logistics Information** Reference Color Size Designation EAN13 Box Code Weight 42.0 VE727NO07 Gray-Black 07 VE727 3295249178390 13295249178397 120 12 5.43 kg 42.0 27.0 32.0 VE727NO08 Gray-Black 08 VE727 3295249178406 13295249178403 6.08 kg 120 12 cm cm cm 42.0 27.0 32.0 VE727NO09 Gray-Black 09 VE727 3295249178413 13295249178410 12 6.74 kg 120 cm cm cm 27.0 42.0 32.0 VE727NO10 Gray-Black 10 VE727 3295249178420 13295249178427 7.17 kg 120 12 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height



