Zaštita ruku

EOS FLEX CUT B VV921

NE INTENZIVAN RAD, SA SREDNJE OŠTRIM PREDMETIMA

Rukavica otporna na udarce s otpornošću na rezanje razine B, fleksibilna i udobna, idealna za teške radove u suhim uvjetima.



Certifikati i standardi

CE KATEGORIJA II

EN 388
3 X 4 2 B P

EN 407
X 2 X X X X

ANSI ISEA 138
RAZINA 1

Štiti od

Toplina | Šok | Rezanje | Habanje

Prednosti

Performanse

· Otpornost na kontaktnu toplinu (100 °C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi
· Fleksibilna ojačanja koja jamče povećanu zaštitu od udaraca i priklještenja
· Izvrsna otpornost na rezove zahvaljujući vlaknima SOFTnocut

Područje upotrebe

- **Poljoprivreda**
- **Javni radovi**
- **Zgrada**
- **Pomoćni poslovi / Obrtništvo**
- **Održavanje**
- **Automobilska**

Zaštita ruku

EOS FLEX CUT B VV921

NE INTENZIVAN RAD, SA SREDNJE OŠTRIM PREDMETIMA

Rukavica otporna na udarce s otpornošću na rezanje razine B, fleksibilna i udobna, idealna za teške radove u suhim uvjetima.

Pojedinosti - Standardi

EN388:2016+A1:2018
3 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

EN 407
X [0-4] PONAŠANJE PRI GORENJU
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Rukavica otporna na udarce
Vrsta mehaničke rukavice	Pletena
Od tkanine	SOFTnocut (mješoviti HDPE / Spandex / poliamid)
Razina premaza	Potpuni premaz osim zapešća
Broj premaza	Jednoslojni premaz
Debljina	13
Dodatna pogodnost	Reach, Može se prikvačiti
Boja	Crna
Veličina	9
Vrsta pakiranja	Etiketa

Pakiranje

Prodajna jedinica: Etiketa
60 parovi /kutija

Safety gloves

EOS FLEX CUT B VV921

SLIGHTLY SHARP AND NON INTENSIVE WORK

Anti-impact glove with level B cut resistance, flexible and comfortable, ideal for heavy-duty work in dry conditions.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GOI921KH01BK09 [VV921NO09]	Black	09	EOS FLEX CUT B VV921	3295249268619	13295249268616	60	6	18.14 kg	73.5 cm	28.5 cm	36.5 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height