Hand protection

EOS NOCUT VV909

LONG-LASTING CUT WORK

Impact glove for heavy work, with high flexibility and lightness thanks to its PVC reinforcements made like honeycomb



Certifications and norms

CE CATEGORY II

EN 388
3 X 4 3 D P

EN 407
X 1 X X X X

ANSI/ISEA 105-2024
A4 X X

Protects against risks

Shock

Cutting

Specific benefits

Easy to use

· Touch screen, so you can use your tablet or smartphone without removing your gloves

Hygiene

· Nitrile means no risk of allergies for users

Performance

· Flexible reinforcements for added protection against impact and pinching

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Technologies & labels

Touch screen

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Heavy industry**
- **Light industry**
- **Maintenance**

DELTAPLUS

enjoy safety

Edit 04/11/2026
www.deltaplus.eu

Hand protection

EOS NOCUT VV909

LONG-LASTING CUT WORK

Impact glove for heavy work, with high flexibility and lightness thanks to its PVC reinforcements made like honeycomb

Standards - Details



EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical glove kind	Knitted
Special gloves kind	Impact
Coating level	Palm coated
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Yellow-Grey-Black
Size	7, 8, 9, 10, 11
Type of packaging	Header card

Packaging

Sale unit: Header card
60 pairs /box

Safety gloves

EOS NOCUT VV909

LONG-LASTING CUT WORK

Impact glove for heavy work, with high flexibility and lightness thanks to its PVC reinforcements made like honeycomb

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GOI909KH01YE08 [VV909JA08]	Yellow-Grey-Black	08	EOS NOCUT VV909	3295249297107	13295249297104	60	12	9.58 kg	34.6 cm	71.0 cm	18.6 cm
GOI909KH01YE09 [VV909JA09]	Yellow-Grey-Black	09	EOS NOCUT VV909	3295249297114	13295249297111	60	12	10.62 kg	34.4 cm	71.8 cm	18.8 cm
GOI909KH01YE10 [VV909JA10]	Yellow-Grey-Black	10	EOS NOCUT VV909	3295249297121	13295249297128	60	12	10.93 kg	36.6 cm	74.8 cm	19.4 cm
GOI909KH01YE11 [VV909JA11]	Yellow-Grey-Black	11	EOS NOCUT VV909	3295249297138	13295249297135	60	12	10.93 kg	36.4 cm	75.6 cm	18.6 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height