Hand protection

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Certifications and norms

CE CATEGORY II

EN 388
3 2 2 2 B P

A2 X X

Risk Protection

Shock

Cutting

Wearing

Specific benefits

Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
· Hook-and-loop fastener for better wrist support

Hygiene

· Reduces perspiration thanks to its excellent breathability

Performance

· Flexible reinforcements for added protection against impact and pinching
· Lightweight for optimal dexterity

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Mining**

Hand protection

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical Glove Type	Cut Sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff caracteristic	Velcro cuff
Benefits element	Reach, Vendor pack, Kevlar stitching
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box

Safety gloves

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GOI900KH01YE12 [VV900JA12]	Yellow-Grey-Black	12	EOS VV900JA	3295249196004	13295249196001	60	12	14.8 kg	33.6 cm	68.8 cm	30.6 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height