



Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Reduces perspiration thanks to its excellent breathability



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services

Certifications and norms



EN 388
4 1 2 1 X



EN ISO 374-1
TYPE A
AKLMNPT



EN ISO 374-5



EN 407
X1XXXXX



Risk Protection



Heat



Biological



Wearing



Chemical



Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
P
T



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating Level	Full Coating
Coating Material	Latex
Coating Finish	Smooth
Number of Coatings	Single Coated
Lining material	Cotton Textile
Thickness (mm)	1,25
Arm level protection	Forearm cuff (< 400mm)
Color	Blue
Size	7, 8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box



Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	17.9%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-5.8%
Acide Sulfurique 96%	L	7664-93-9	4	120	35%
Nitric Acid 65%	M	7697-37-2	6	480	5.5%
Acetic Acid 99%	N	64-19-7	3	60	30.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	12.1%








Safety gloves

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWV920CH01BL09 [VE920BL08]	Blue	8/9	VENIZETTE VE920	3295249008758	13295249008755	120	12	20.0 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL10 [VE920BL09]	Blue	9/10	VENIZETTE VE920	3295249008765	13295249008762	120	12	20.9 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL11 [VE920BL10]	Blue	10/11	VENIZETTE VE920	3295249008772	13295249008779	120	12	21.7 kg	36.0 cm	71.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height