

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Multi-standard chemical glove for comfort and durability, ideal for the food industry



Certifications and norms



EN 388

4121X



EN ISO 374-1

TYPE A AKLMNPT



EN ISO 374-5



EN 407 X1XXXX







· High-quality coating extends the life of the glove and provides excellent protection for the hand



· Reduces perspiration thanks to its excellent breathability



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services





Edit 19/05/2024 www.deltaplus-usa.com



VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374 A : MÉTHANOL

L M N

Κ

P T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	Smooth Latex
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness	1,25 mm
Arm level protection	Forearm cuff (< 400mm)
Color	Blue
Size	7, 8, 9, 10, 11
Type of conditioning	Sold by Unit



enjoy s



VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food

industry

Logistics Information										
Reference	Color	Size	Designation	EAN13	Box Code	Multiple Sales	Minimum Order Quantity	Weight		
VE920BL08	Blue	8/9	VENIZETTE VE920	3295249008758	13295249008755	120	12	20.0 kg		
VE920BL09	Blue	9/10	VENIZETTE VE920	3295249008765	13295249008762	120	12	20.9 kg		
VE920BL10	Blue	10/11	VENIZETTE VE920	3295249008772	13295249008779	120	12	21.7 kg		



enjoy so

19/05/2024 www.deltaplus.eu