Hand protection

PETRO VE766

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons



Certifications and norms

CE CATEGORY III

EN 388
4 1 3 1 B

EN ISO 374-1
TYPE B
JKL

EN ISO 374-5

Protects against risks

Biological | Wearing | Chemical | Particules

Specific benefits

Performance

· Extra thick and long for extra protection of the entire arm

Technologies & labels

0% SILICONE Silicon-free

Applications

- **Building**
- **Maintenance**
- **Chemical industry**
- **Automotive**
- **Oil & Gas (extraction)**
- **Mining**

Hand protection

PETRO VE766

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

EN 374
J
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	PVC
Coating finition	Grip-textured
Number of layer	Single layer
Lining material	Cotton Textile
Thickness (mm)	1,30
Gauge	13
Arm level protection	Shoulder cuff (> 500mm)
Benefits element	Reach, Silicone free, Long cuff (>290mm)
Color	Blue
Size	8, 9, 10
Type of packaging	Bulk bag of 6

Packaging

Sale unit: Bulk bag of 6
60 pairs /box



Hand protection

PETRO VE766

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove combining comfort, full arm protection, good grip on objects handled for resistance to oils and hydrocarbons

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
n-Heptane	J	142-82-5	2	30	12.2%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	12.9%
Acide Sulfurique 96%	L	7664-93-9	2	30	34.9%

PETRO VE766

TRABALHOS PROLONGADOS COM RESISTÊNCIAS QUIMICAS

Proteção das mãos

Luva química que combina proteção completa do braço, boa aderência dos objetos manuseados para resistência a óleos e hidrocarbonetos

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
GWE766C101BL08 [VE766BL08]	Azul	08	PETRO VE766	3295249196141	13295249196148	60	6	19.6 kg	36.2 cm	64.8 cm	34.2 cm
GWE766C101BL09 [VE766BL09]	Azul	09	PETRO VE766	3295249196158	13295249196155	60	6	19.5 kg	68.0 cm	35.0 cm	38.0 cm
GWE766C101BL10 [VE766BL10]	Azul	10	PETRO VE766	3295249196165	13295249196162	60	6	20.5 kg	68.0 cm	35.0 cm	38.0 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa