

## **EOS OBM VV911**

### WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Anti-impact chemical glove, combining comfort and durability for low-impact products



## **Applications**

- Public works
- Building
- Maintenance
- Chemical industry
- Automotive
- Oil & Gas (extraction)

## **Certifications and norms**





**EN 388** 3112XP



**EN ISO 374-1**TYPE C



**EN ISO 374-5** 







## **EOS OBM VV911**

### WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Anti-impact chemical glove, combining comfort and durability for low-impact products

### **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

- 1 [0-5] CUT RESISTANCE 1 [0-4] TEAR RESISTANCE
- 2 [0-4] PIERCE RESISTANCE
- X [A-F] CUT RESISTANCE ISO 13997
- P [P] IMPACT RESISTANCE (OPTIONAL)

### **Technical details**

Glove kind	Special glove
Glove family	Tight glove supported
Tight glove kind	Supported
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Coating material and finition	Nitrile double layer
Coating level	Fully coated
Number of layer	Double Layer
Arm level protection	Elbow cuff (<= 500mm)
Cuff caracteristic	Leather cuff
Benefits element	Vendor pack
Color	Blue-Yellow
Size	8, 9, 10, 11







# **EOS OBM VV911**

### WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Anti-impact chemical glove, combining comfort and durability for low-impact products

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
VV911JA08	Blue-Yellow	08	EOS OBM VV911	3295249191580	13295249191587	60	6	21.4 kg	
VV911JA09	Blue-Yellow	09	EOS OBM VV911	3295249191597	13295249191594	60	6	22.5 kg	
VV911JA10	Blue-Yellow	10	EOS OBM VV911	3295249191603	13295249191600	60	6	24.4 kg	
VV911JA11	Blue-Yellow	11	EOS OBM VV911	3295249191610	13295249191617	60	6	25.73 kg	



