Hand protection

EOS NOCUT VV910

LONG-LASTING CUT WORK

A4 rated cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments



Certifications and norms

CE CATEGORY II

EN 388
4 X 4 3 D P

EN 407
X 1 X X X X

A4 X X

Risk Protection

Shock | Cutting | Wearing | Perforation

Specific benefits

Durability

· Longer service life thanks to a double coating for excellent abrasion resistance

Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
· Hook-and-loop fastener for better wrist support

Hygiene

· Silicone-free/ DMF-free, leaving no residue on components while limiting allergies
· Washable glove, so it can be reused
· DMF-free to reduce the risk of allergies

Technologies and labels

0% DMF DMF-free

0% SILICONE Silicon-free

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Automotive**

Hand protection

EOS NOCUT VV910

LONG-LASTING CUT WORK

A4 rated cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Standards - Details



EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)



EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical Glove Type	Tricot
Special gloves kind	Impact
Fiber	Aramid, PEHD
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Smooth, Grip-textured, Double Layer
Number of Coatings	Double Coated
Gauge	13
Cuff caracteristic	Velcro cuff
Benefits element	Reach, Silicone free, DMF free, Washable, Vendor pack, Azo Free, Kevlar stitching
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of conditioning	Header card

Packaging

Sale unit: Header card
60 pairs /box

Product Care



Washing x1 - 60°C

· Flat drying



Safety gloves

EOS NOCUT VV910

LONG-LASTING CUT WORK

Level D cut, impact-resistant glove, ideal for multipurpose work in aqueous or oily environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKI910KH01YE08 [VV910JA08]	Yellow-Grey-Black	08	EOS NOCUT VV910	3295249191542	13295249191549	60	12	14.1 kg	70.0 cm	32.0 cm	23.0 cm
GKI910KH01YE09 [VV910JA09]	Yellow-Grey-Black	09	EOS NOCUT VV910	3295249191559	13295249191556	60	12	13.394 kg	32.4 cm	70.4 cm	25.0 cm
GKI910KH01YE10 [VV910JA10]	Yellow-Grey-Black	10	EOS NOCUT VV910	3295249191566	13295249191563	60	12	16.1 kg	34.6 cm	75.4 cm	29.8 cm
GKI910KH01YE11 [VV910JA11]	Yellow-Grey-Black	11	EOS NOCUT VV910	3295249191573	13295249191570	60	12	13.6 kg	33.6 cm	72.6 cm	24.2 cm
GKI910KH01YE12 [VV910JA12]	Yellow-Grey-Black	12	EOS NOCUT VV910	3295249302351	13295249302358	60	12	18.51 kg	36.8 cm	78.8 cm	28.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height